



**HAL**  
open science

## Why you can't be in sync with schizophrenia patients

Nicolas Rainteau, Robin Salesse, Alexandra Macgregor, Valérie Macioce,  
Stéphane Raffard, Delphine Capdevielle

### ► To cite this version:

Nicolas Rainteau, Robin Salesse, Alexandra Macgregor, Valérie Macioce, Stéphane Raffard, et al.. Why you can't be in sync with schizophrenia patients. Schizophrenia Research, 2019, 10.1016/j.schres.2019.11.054 . hal-02525098

**HAL Id: hal-02525098**

**<https://hal.umontpellier.fr/hal-02525098>**

Submitted on 22 Aug 2022

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

## Why you can't be in sync with schizophrenia patients

Rainteau Nicolas<sup>\*1</sup>, Robin N. Salesse<sup>1,2</sup>, Alexandra Macgregor<sup>1</sup>, Stéphane Raffard<sup>1,3</sup>,  
Valérie Macicoce<sup>4</sup> and Delphine Capdevielle<sup>1,5</sup>

<sup>1</sup>University Department of Adult Psychiatry, Hôpital de la Colombière, CHU  
University of Montpellier, Montpellier, France

<sup>2</sup>SAS Mooven, Saint-Mathieu-de-Trévières, France

<sup>3</sup>Epsilon Laboratory EA 4556, University Paul Valéry Montpellier 3,  
Montpellier, France

<sup>4</sup>Clinical Research and Epidemiology Unit, CHU Montpellier, Univ Montpellier, Montpellier,  
France

<sup>5</sup>INSERM U-1061, Montpellier, France

\*To whom correspondence should be addressed; University Department of Adult  
Psychiatry, 39 Avenue Charles Flahault 34295 Montpellier Cedex 5, France.

Tel.: +33 4 67 33 97 02; fax: +33 4 67 33 96 60 / Email: [n-rainteau@chu-montpellier.fr](mailto:n-rainteau@chu-montpellier.fr)

## Abstract

Most individuals with schizophrenia will be confronted with some form of stigma. In recent years, clinicians and family members have increasingly contested the term “schizophrenia”. Many of them discuss changing this name, as a means to fight stigma. Up until now, surprisingly, most research has been conducted using self-reports and behavioural research is lacking. The aim of our study was to assess through an experimental design if the term “schizophrenia” itself modifies social behaviours. Forty participants were asked to engage in a synchronization task with a dot displayed on a screen and moved by another person. Non-clinicians participants had to synchronize their movements as accurately as possible with either a schizophrenia patient, a patient with “neuro-emotional integration disorder” or a healthy subject, kept out of sight. Each condition was counterbalanced between participants. In fact, the movements of the dot were pre-recorded (five trajectories) and were therefore identical for all three conditions. Measuring the error between the displayed and performed trajectories, participants exhibited more errors when they thought they were interacting with a patient in comparison to the “healthy” subject. [Post-hoc analysis revealed an even higher difference between “schizophrenia” and “healthy” conditions. Altogether, our results show a significant behavioral impact of the term “schizophrenia” with possibly negative consequences on social interactions. The effect of changing the name reduces this impact but remains unclear.](#)

Keywords: Stigma, psychotic disorders, mirror game, stereotype, sociomotor behaviour, synchronization

## Introduction

It is widely acknowledged that individuals with mental disorders are stigmatized and are subject to negative public attitudes (Angermeyer and Matschinger, 2003). Individuals with schizophrenia are the most negatively perceived, considered more dangerous and unpredictable than those with other mental disorders such as depression, autism or bipolar disorders (Angermeyer and Matschinger, 2003; Wood et al., 2014).

Stigma has dramatic consequences for patients, in particular reduced quality of life, recovery (Thornicroft et al., 2009), general functioning, or self-esteem (Gerlinger et al., 2013). Many means of fighting stigma have therefore been studied such as public campaigns (Clement et al., 2013) or hallucination simulators (Ando et al., 2011). In recent years, the term 'schizophrenia' has been increasingly contested by patients, family members, clinicians and researchers (Lasalvia et al., 2015). This could be of particular interest as individuals attribute characteristics to people based on their given name (Mehrabian, 2001) such as lower social status or negative impressions (Laham et al., 2012). This process called "name stereotype" (Zwebner et al., 2017) could extend to mental disorder labels such as *schizophrenia* and thus further encourage changing the name of schizophrenia for a less stigmatizing one. [Japan was the first country to change the name of schizophrenia. After one year, 82% of psychiatrists found the new term more effective in reducing stigma and promising for social integration \(Sato, 2006\).](#) Furthermore, recent research has explored how the activation of social constructs via priming can affect behaviour such as social interaction (Wheeler and DeMarree, 2009).

However to date no study has explored in a mental disorder [if the label \(e.g. \*schizophrenia\*\) and the stereotypes associated with it](#) could have a direct impact on social behaviour. Most of the past research on stigmatization has focused on self-report measures of stigma which can be influenced by social desirability biases; non-clinician individuals may be reluctant to reveal their negative attitudes towards individuals with schizophrenia.

Consequently, our study aimed to assess if the term *schizophrenia* itself impacts behaviour among the general public towards patients suffering from the disorder. We assessed the effect of the label stereotype *schizophrenia* on social interaction using a motor synchrony task. Motor synchrony is an objective tool widely used to measure

nonverbal quality of social interaction (Vicaria and Dickens, 2016) and refers here to an interaction task where participants have to synchronize as accurately as possible with a moving dot on a screen to evaluate effective social distance, a process underlying stigma (Won et al., 2018)

We also evaluated the impact of another term proposed by Levin to replace the label schizophrenia, namely "Neuro-emotional integration disorder" (NEID) (Levin, 2006) on the same motor synchrony task. We collectively chose this term among the different names proposed in European and North American countries where the term schizophrenia is still officially adopted. We expect the term *schizophrenia* to reduce the quality of motor synchronization.

## Method

### 1. Participants

Forty healthy adults voluntarily participated in the study. They had no personal lifetime history of psychosis or affective disorder. Exclusion criteria were: (a) known neurological disease, (b) substance abuse in the past month, (c) people with schizophrenia (d) people with a family member suffering from schizophrenia and (e) to be a caregiver.

First, participants were told a cover story to ensure they were fully unaware of the real goal of the experiment. The experimenter told them that the psychiatric hospital was testing a new computer-based network allowing patients to play therapeutic video games from their rooms with their families and friends anywhere else. The game consisted in moving a dot on a screen with a handle to follow as accurately as possible the dot moved by the second player (a simplified "mirror-game" (Noy et al., 2011) designed for interpersonal coordination studies). Participants, facing the screen, were seated in front of an experimental apparatus allowing them to freely move the handle in the horizontal direction. The experimental protocol was divided into three rounds of five trials each. Before each trial, the participant was told by a message written on the screen to interact with either a patient suffering from schizophrenia (SZP), a patient suffering from a NEID or a healthy subject (CTRL). The order of presentation of the three

rounds was counterbalanced across participants. In reality, nobody was actually playing with the participant, only an artificial agent. During each round five pre-recorded trajectories of the dot were displayed randomly on the screen. The three rounds constituted our three experimental conditions and differed only by the text written on the screen.

## 2. *Dependant variables*

We measured the trajectory performed by the participants using a handle allowing free horizontal movements. Displacement was recorded with a spatial resolution of .054 cm and a sampling frequency of 100Hz. The error in performance was then calculated using the relative position error (RPE), a measure of the distance between the trajectory displayed on the screen and the trajectory actually performed by the participant (Słowiński et al., 2016).

## 3. *Data analysis*

Condition differences and interactions were analysed with repeated measures ANOVA. Post-hoc tests were used when the nature of the effects had to be specified. Size effects were reported using the partial eta squared  $\eta_p^2$ .

## **Results**

Demographic characteristics are displayed in [Table 1](#).

The 3 *Conditions* (SZP, NEID, CTRL)  $\times$  5 *Trajectory* ANOVA performed on the RPE revealed a *Conditions* main effect ( $F(2,78)=3.37$ ,  $p=.039$ ,  $\eta_p^2=.08$ ), a *Trajectory* main effect ( $F(4,156)=3.51$ ,  $p=.009$ ,  $\eta_p^2=.08$ ) and failed to show a *Conditions*  $\times$  *Trajectory* interaction ( $F(8,312)=.68$ ,  $p=.71$ ,  $\eta_p^2=.02$ ). Newman-Keuls decomposition of the *Conditions* main effect showed only a significant difference between SZP and CTRL ( $p=.033$ ), no significant difference between NEID and CTRL ( $p=.10$ ) and between SZP and NEID ( $p=.38$ ). This result indicates that participants exhibited higher errors when they thought they were interacting with a *schizophrenia* patient ( $p=.033$ ) than with a healthy subject (Figure 1). Newman-Keuls decomposition of the *Trajectory* main effect showed that only one trajectory significantly differed from the two others ( $p=.027$  and

$p=.004$  respectively). This shows that the effective level of difficulty between the five trajectories was mainly the same. Finally, the absence of a significant *Conditions* × *Trajectory* interaction shows that the *Conditions* main effect was not affected by the level of difficulty of the trajectories.

## Discussion

First, our medium to large main condition effect indicated that priming participants with the schizophrenia stereotype altered their motor performance. More precisely, participants exhibited more synchronization errors when they believed they were interacting with an individual with schizophrenia than with a healthy subject. Thus, the term *schizophrenia*, without any face or any behavior of an individual person, modifies the participants' performance. This suggests that the stereotypes associated with the word "schizophrenia" affects behavior. These findings confirm a large body of research on prime-to behaviour effects showing that stereotypes can influence subsequent behavior (Chalabaev et al., 2013). Indeed, most published studies focused on self-report measures of stigma (Wood et al., 2014) with knowledge and attribution questionnaires or social distance scales. Researchers have become interested in automatically activated versus deliberately endorsed evaluations (Wittenbrink, 2007). In the domain of stigma, negative reactions towards people with mental illnesses can be activated automatically, potentially escaping conscious awareness or control, and can influence a range of subsequent behaviours. Automatic evaluations may be less susceptible to social desirability bias than explicitly reported attitudes and self-report measures (Wilson., 2002).

As proposed by Wyer et al (Wyer et al., 2010) priming a stereotype automatically induces typical interaction sequences that consist either in affiliation behaviours, or in avoidant-antagonistic behaviours (Cesario et al., 2006). As individuals with schizophrenia are considered more dangerous and unpredictable (Angermeyer and Dietrich, 2006), the avoidant-antagonistic behaviour may be the mechanism underlying altered motor synchronization induced by the term *schizophrenia*. In our protocol,

altered motor synchronization seems to reproduce increased social distance due to stigma as described in the literature.

We also explored the effects of activating another label (e.g. Neuro-Emotional Integration Disorder). Unlike the term *schizophrenia*, the term NEID did not result in a significant change in quality of motor performance. Interestingly, the motor performance was located in between both Schizophrenia and Healthy terms, without being significantly different from each of them. If one applies the theory of priming and induction of stereotype responsible for automatic behaviours to the use of a new term, we can hypothesize that the term NEID does not evoke anything concrete for the participants, as it does not exist. However, mentioning a “Disorder” might have however influenced sub-significantly participants behavior ( $p=.1$ ). As no clear representations or concepts are associated with this term, it does not induce significant stereotype and does not generate automatic avoidant-antagonistic behaviours but a tendency (Corrigan et Watson., 2002).

Our study has some limits, including its small sample size ( $n=40$ ). Moreover, although the link between motor synchrony and quality of social interaction is now well established, we did not directly assess social interaction. Indeed, this experimental protocol has limited « ecological » validity. However, our methodology with implicit measure avoids biases linked to self-reported questionnaires, particularly social desirability, and therefore adds to the existing literature about stigma in schizophrenia spectrum disorders.



## Table caption

Table 1


	M	SD	Med	Rg
Age	28,2	9,4	24,5	[21-62]
Level of education	14,7	2	15	[12-18]
Gender / Man	N	%		
	16	40		

### Socio-demographic description of the participants

Mean, Standard deviation, Median and Range of values are presented for the Age and the Level of education.

## Figure caption

Figure 1



Relative Position Error (RPE) in millimetre for the 3 *Conditions* (SZP, NEID and CTRL). Error bars correspond to the standard deviation of the corresponding condition. *p*-values corresponds to the Newman-Keuls test described in the results section

Ando, S., Clement, S., Barley, E.A., and Thornicroft, G. (2011). The simulation of hallucinations to reduce the stigma of schizophrenia: A systematic review. *Schizophr. Res.* *133*, 8–16.

Angermeyer, M.C., and Dietrich, S. (2006). Public beliefs about and attitudes towards people with mental illness: a review of population studies. *Acta Psychiatr. Scand.* *113*, 163–179.

Angermeyer, M.C., and Matschinger, H. (2003). Public beliefs about schizophrenia and depression: similarities and differences. *Soc. Psychiatry Psychiatr. Epidemiol.* *38*, 526–534.

Cesario, J., Plaks, J.E., and Higgins, E.T. (2006). Automatic social behavior as motivated preparation to interact. *J. Pers. Soc. Psychol.* *90*, 893–910.

Chalabaev, A., Brisswalter, J., Radel, R., Coombes, S.A., Easthope, C., and Clément-Guillotin, C. (2013). Can stereotype threat affect motor performance in the absence of explicit monitoring processes? Evidence using a strength task. *J. Sport Exerc. Psychol.* *35*, 211–215.

Clement, S., Lassman, F., Barley, E., Evans-Lacko, S., Williams, P., Yamaguchi, S., Slade, M., Rüsçh, N., and Thornicroft, G. (2013). Mass media interventions for reducing mental health-related stigma. In *Cochrane Database of Systematic Reviews*, (John Wiley & Sons, Ltd), p.

Corrigan, P. W., & Watson, A. C. (2002). Understanding the impact of stigma on people with mental illness. *World psychiatry : official journal of the World Psychiatric Association (WPA)*, *1*(1), 16–20.

Gerlinger, G., Hauser, M., De Hert, M., Lacluyse, K., Wampers, M., and Correll, C.U. (2013). Personal stigma in schizophrenia spectrum disorders: a systematic review of prevalence rates, correlates, impact and interventions. *World Psychiatry* *12*, 155–164.

Laham, S.M., Koval, P., and Alter, A.L. (2012). The name-pronunciation effect: Why people like Mr. Smith more than Mr. Colquhoun. *J. Exp. Soc. Psychol.* *48*, 752–756.

Lasalvia, A., Penta, E., Sartorius, N., and Henderson, S. (2015). Should the label “schizophrenia” be abandoned? *Schizophr. Res.* *162*, 276–284.

Levin, T. (2006). Schizophrenia should be renamed to help educate patients and the public. *Int. J. Soc. Psychiatry* *52*, 324–331.

Mehrabian, A. (2001). Characteristics attributed to individuals on the basis of their first names. *Genet. Soc. Gen. Psychol. Monogr.* *127*, 59–88.

Noy, L., Dekel, E., and Alon, U. (2011). The mirror game as a paradigm for studying the dynamics of two people improvising motion together. *Proc. Natl. Acad. Sci. U. S. A.* *108*, 20947–20952.

Sato, M. (2006). Renaming schizophrenia: a Japanese perspective. *World Psychiatry Off. J. World Psychiatr. Assoc. WPA* *5*, 53–55.

Słowiński, P., Zhai, C., Alderisio, F., Salesse, R., Gueugnon, M., Marin, L., Bardy, B.G., di Bernardo, M., and Tsaneva-Atanasova, K. (2016). Dynamic similarity promotes interpersonal coordination in joint action. *J. R. Soc. Interface* *13*.

Thornicroft, G., Brohan, E., Rose, D., Sartorius, N., Leese, M., and INDIGO Study Group (2009). Global pattern of experienced and anticipated discrimination against people with schizophrenia: a cross-sectional survey. *Lancet* *373*, 408–415.

Vicaria, I.M., and Dickens, L. (2016). Meta-Analyses of the Intra- and Interpersonal Outcomes of Interpersonal Coordination. *J. Nonverbal Behav.* *40*, 335–361.

Wheeler, S.C., and DeMarree, K.G. (2009). Multiple Mechanisms of Prime-to-Behavior Effects. *Soc. Personal. Psychol. Compass* *3*, 566–581.

Wilson, T.D. (2002). *Strangers to ourselves: Discovering the adaptive unconscious* (Cambridge, MA, US: Belknap Press/Harvard University Press).

Wittenbrink, B. (2007). Measuring attitudes through priming. In *Implicit Measures of Attitudes*, pp. 17–59.

Won, A.S., Shriram, K., and Tamir, D.I. (2018). Social Distance Increases Perceived Physical Distance. *Soc. Psychol. Personal. Sci.* *9*, 372–380.

Wood, L., Birtel, M., Alsawy, S., Pyle, M., and Morrison, A. (2014). Public perceptions of stigma towards people with schizophrenia, depression, and anxiety. *Psychiatry Res.* *220*, 604–608.

Wyer, N.A., Calvini, G., Nash, A., and Miles, N. (2010). Priming in Interpersonal Contexts: Implications for Affect and Behavior. *Pers. Soc. Psychol. Bull.* *36*, 1693–1705.

Zwebner, Y., Sellier, A.-L., Rosenfeld, N., Goldenberg, J., and Mayo, R. (2017). We look like our names: The manifestation of name stereotypes in facial appearance. *J. Pers. Soc. Psychol.* *112*, 527–554.