



HAL
open science

Changing the history of anaphylaxis mortality statistics through the World Health Organization's International Classification of Diseases–11

Luciana Kase Tanno, Robert Chalmers, Ana Luiza Bierrenbach, F. Estelle R. Simons, Bryan Martin, Nicolas Molinari, Isabella Annesi-Maesano, Margitta Worm, Victoria Cardona, Nikolaos Papadopoulos, et al.

► To cite this version:

Luciana Kase Tanno, Robert Chalmers, Ana Luiza Bierrenbach, F. Estelle R. Simons, Bryan Martin, et al.. Changing the history of anaphylaxis mortality statistics through the World Health Organization's International Classification of Diseases–11. *Journal of Allergy and Clinical Immunology*, 2019, 144 (3), pp.627-633. 10.1016/j.jaci.2019.05.013 . hal-02632896

HAL Id: hal-02632896

<https://hal.umontpellier.fr/hal-02632896v1>

Submitted on 20 Dec 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

1 CHANGING THE HISTORY OF ANAPHYLAXIS MORTALITY STATISTICS 2 THROUGH THE WORLD HEALTH ORGANIZATION'S 3 INTERNATIONAL CLASSIFICATION OF DISEASES (ICD)-11 4

5 Luciana Kase Tanno MD PhD^{1,2,3,4,5*}, Robert Chalmers MD PhD^{5,6}, Ana Luiza Bierrenbach MD
6 PhD^{1,7}, F. Estelle R. Simons MD PhD⁸, Bryan Martin MD PhD⁹, Nicolas Molinari PhD¹⁰, Isabella
7 Annesi-Maesano MD PhD³, Margitta Worm MD PhD¹¹, Victoria Cardona MD PhD¹², Nikolaos
8 G. Papadopoulos MD PhD¹³, Mario Sanchez-Borges MD PhD¹⁴, Lanny J Rosenwasser MD
9 PhD¹⁵, Ignacio Ansontegui MD PhD¹⁶, Motohiro Ebisawa MD PhD¹⁷, Juan Carlos Sisul MD¹⁸,
10 Edgardo Jares MD PhD¹⁹, Maximiliano Gomez MD PhD²⁰, Ioana Agache MD PhD²¹, Peter
11 Hellings MD PhD^{22,23}, Antonella Muraro MD PhD²⁴, Francis Thien MD^{25,26}, Ruby Pawankar MD
12 PhD²⁷, James L. Sublett MD PhD²⁸, Thomas Casale MD PhD²⁹, Pascal Demoly MD PhD^{2,3}, and
13 on behalf of the Joint Allergy Academies**

14
15
16 1 Hospital Sírío-Libanês

17 2 University Hospital of Montpellier, Montpellier, France

18 3 Sorbonne Université, INSERM UMR-S 1136, IPLESP, Equipe EPAR, 75013, Paris, France

19 4 WHO Collaborating Centre on Scientific Classification Support, Montpellier, France

20 5 ICD-11 Medical and Scientific Advisory Committee, WHO, Geneva

21 6 Centre for Dermatology, University of Manchester, UK

22 7 Sanas Epidemiology and Research, São Paulo, and Teaching Research Institute (IEP), Hospital Sírío Libanês, São Paulo, Brazil

23 8 Section of Allergy & Clinical Immunology, Department of Pediatrics & Child Health, University of Manitoba, Winnipeg, Canada

24 9 Medicine and Pediatrics, The Ohio State University in Columbus, Ohio, USA

25 10 IMAG UMR 5149, DIM CHRU de Montpellier, France

26 11 Division of Allergy and Immunology, Dpt Dermatology and Allergy, Charité, Universitätsmedizin Berlin, Germany

27 12 Hospital Vall d'Hebron, Internal medicine Department, Allergy Section, Barcelona, Spain.

28 13 Centre for Paediatrics and Child Health, Institute of Human Development, University of Manchester, United Kingdom and

29 Department of Allergy, 2nd Pediatric Clinic, University of Athens, Athens, Greece

30 14 Allergy and Clinical Immunology Department, Centro Medico Docente La Trinidad, Caracas, Venezuela

31 15 Department of Pediatrics, Division of Immunology Research, Children's Mercy Hospitals & Clinics, Kansas City, MO 64108,
32 USA

33 16 Department of Allergy and Immunology, Hospital Quirónsalud Bizkaia Erandio, Bilbao, Spain

34 17 Clinical Research Center for Allergy and Rheumatology, Sagami National Hospital, Japan

35 18 Past President of the Latinamerican Society of Allergy, Asthma and Immunology and fellow of the American College of Allergy,
36 Asthma and Immunology, Paraguay

37 19 LIBRA Foundation and CMP SA Buenos Aires, Argentina

38 20 Research & Education, Fundación Ayre. Allergy & Asthma Unit, Hospital San Bernardo. Salta, Catholic University of Salta,
39 Argentina.

40 21 Transylvania University, Brasov, Romania

41 22 ENT Clinical Department, University Hospital Leuven, Kapucijnenvoer 33, 3000 Louvain, Belgium

42 23 Laboratory of Clinical Immunology, Department of Microbiology and Immunology, KU Leuven, Louvain, Belgium

43 24 Food Allergy Referral Centre Veneto Region, Department of Women and Child Health, Padua General University Hospital,
44 Padua, Italy

45 25 Faculty of Medicine, Nursing and Health Sciences, Monash University, Clayton, Vic Australia

46 26 Department of Respiratory Medicine, Eastern Health, Vic, Boxhill, Australia

47 27 Nippon Medical School, Tokyo, Japan.

48 28 Managing Partner, Family Allergy & Asthma; Clinical Professor, Section of Allergy & Immunology, Department of Pediatrics,
49 University of Louisville School of Medicine, Louisville, KY USA

50 29 Morsani College of Medicine, University of South Florida, Tampa, FL, USA

51
52 * Corresponding author: Luciana Kase Tanno MD, PhD, Division of Allergy, Department of Pulmonology, Hôpital Arnaud de
53 Villeneuve, University Hospital of Montpellier, 371, av. du Doyen Gaston Giraud - 34295, Montpellier cedex 5, France. Tel.: +33
54 467336107 Fax: +33 467633645

55 E-mail: luciana.tanno@gmail.com

56 ** Joint Allergy Academies: American Academy of Allergy Asthma and Immunology (AAAAI), European Academy
57 of Allergy and Clinical Immunology (EAACI), World Allergy Organization (WAO), American College of Allergy

58 Asthma and Immunology (ACAAI), Asia Pacific Association of Allergy, Asthma and Clinical Immunology (APAAACI),
59 Latin American Society of Allergy, Asthma and Immunology (SLAAI)

60

61 **ABSTRACT**

62 We review the history of the classification and coding changes for anaphylaxis and provide
63 current and perspective information in the field. In 2012, an analysis of Brazilian data
64 demonstrated under-notification of anaphylaxis deaths due to the difficulties of coding using
65 the International Classification of Diseases, ICD-10. This work triggered strategic
66 international actions supported by the Joint Allergy Academies and the ICD World Health
67 Organization (WHO) leadership to update the classification of allergic disorders for the ICD-
68 11 revision, which resulted in the construction of the pioneer “Allergic and hypersensitivity
69 conditions” chapter. The usability of the new framework has been tested by evaluating the
70 same data published in 2012 from the ICD-11 perspective. Coding accuracy was much
71 improved, reaching 95% for definite anaphylaxis.

72 As the results provided to the WHO Mortality Reference Group, coding rules have been
73 changed allowing anaphylaxis to be recorded as underlying cause of death in official
74 mortality statistics. The mandatory use of ICD-11 from January 2022 for documenting cause
75 of death may likely have two immediate consequences: (i) the reported number of
76 anaphylaxis deaths may increase due to more appropriate coding and (ii) the cross-sectional
77 and longitudinal mortality data generated may ultimately lead to better understanding of
78 anaphylaxis epidemiology and improved health policies directed at reducing anaphylaxis-
79 related mortality.

80

81 **KEY WORDS:** anaphylaxis, big data, classification, International Classification of Diseases,
82 mortality, World Health Organization

83

84

85

86

87

88

89

90

91

92

93

94

95

96 **MORTALITY STATISTICS: HISTORY, IMPORTANCE AND RECORD STANDARD METHODS**

97 *Historical background of vital statistics*

98 Rational disease classification dates back to Hippocrates, but the first modern medical
99 classification considering true ontology of diseases was developed in 1735 by Carl Linnaeus,
100 who divided diseases into 11 classes, 37 orders, and 325 species (1). Although this
101 classification contained some errors from a modern perspective, this framework laid the
102 foundation for work that eventually led to the first edition of the International Classification
103 of Diseases (ICD), published in 1893 (2). It had been preceded in 1885 by the first
104 International List of Causes of Death, which had been drafted by Jacques Bertillon and
105 colleagues and it distinguished between systemic diseases and those localized to a particular
106 organ or anatomical site and was officially adopted for use in mortality registries in 1893 (3).
107 This classification, which was accepted by many countries, constituted the basis of ICD.
108 Anaphylaxis was not included in the original list of diseases because it was not formally
109 described until 1902 (3). Currently, most of countries have been using the ICD-10 (or
110 adaptations) version for morbidity and mortality statistics. Although the ICD is generally
111 reviewed by the World Health Organization (WHO) periodically, anaphylaxis has never been
112 well captured in this international system.

113 According to the WHO ICD rules, the underlying cause of death is defined as the
114 disease or injury which initiated the train of morbid events leading directly to death (4).
115 Although a well-known cause of death, particularly in the fields of allergy and emergency
116 medicine, anaphylaxis has never been appropriately classified in the different versions of the
117 ICD, and has never been considered an underlying cause of death on death certificates, as
118 demonstrated repeatedly, most recently confirmed in research performed in Brazil (5).

119

120 *What Can Mortality Data Tell Us*

121 Mortality data provide a snapshot of current health problems, can point to persistent
122 patterns of risk in specific communities and show trends in specific causes of death over
123 time. Many of the latter are preventable or treatable and, therefore, warrant the attention
124 of public health officials (4). Mortality data provide valuable benchmarks for evaluating
125 progress in increasing years of healthy life (6).

126

127 *An example of negative outcome due to the lack of accurate anaphylaxis mortality*

128 Adrenaline/epinephrine is the first-line treatment for anaphylaxis and, therefore,
129 listed by the WHO as an essential medication for the treatment of anaphylaxis. However, the
130 availability of adrenaline auto-injectors (AAI) for use in the first-aid treatment is limited to
131 just 32% of the world's 195 nations, the majority of them high-income countries (7). The key
132 issues leading to the lack of availability of AAIs include high cost but also national

133 regulations, lack of regional evidence about the value of epinephrine and a paucity of
134 accurate data on anaphylaxis epidemiology. Lack of accurate mortality information hinders
135 understanding of the public health impact of anaphylaxis and of the need for appropriate
136 therapeutic interventions and investments, for instance in AAls, to reduce that impact.

137

138 *How worldwide mortality data are recorded and harmonized*

139 Because mortality monitoring is of such value to public health authorities, mortality
140 registration is mandatory in almost all countries. Vital statistics systems record certain
141 information on each death, and periodically sum the number of deaths periodically to
142 calculate rates and trends.

143 Analysis of mortality data typically involves comparisons of data sets. However, unless
144 the data have been compiled using the same methods and according to the same standards,
145 such comparisons have the potential to yield misleading results. For these reasons, the WHO
146 has issued international instructions on data collection, coding and classification, and
147 statistical presentation of causes of death. In most countries, mortality statistics are
148 routinely compiled according to regulations and recommendations adopted by the World
149 Health Assembly (WHA). The international mortality coding instructions presuppose that
150 data have been collected with a death certificate conforming to the *International Form of*
151 *Medical Certificate of Cause of Death* (8). It is the responsibility of the medical practitioner
152 or other qualified certifier signing the death certificate to indicate which morbid conditions
153 led directly to death and to state any antecedent conditions giving rise or contributing to
154 this cause.

155 The WHO's mortality data reflect deaths registered by national civil death registration
156 systems, with the underlying cause of death coded by the national authority (8). If a
157 condition or a disease is not considered an "underlying cause of death", national registration
158 systems are not able to capture related accurate data on cause of death.

159

160 ANAPHYLAXIS: THE UNDER-NOTIFICATION OF A KILLING HYPERSENSITIVITY

161 *Anaphylaxis: the killing hypersensitivity*

162 All definitions of anaphylaxis for clinical use by healthcare professionals incorporate
163 the concept of a serious, generalized, allergic or hypersensitivity reaction that can be life-
164 threatening and even fatal (9). All anaphylaxis guidelines (9-14) consistently highlight the
165 possibility of death during an anaphylactic episode. Anaphylaxis lethality has been estimated
166 as 17% (15).

167 Good epidemiological data are essential components for a nation's health service
168 planning, including identifying priorities for reducing morbidity and mortality. In the case of
169 anaphylaxis, however, there are only a limited number of population-based epidemiologic
170 studies of mortality, particularly in the case of low- and middle-income countries (15-25).
171 Under-recognition and under-notification of anaphylaxis lead to sparse data and contribute
172 to lack of recognition of the importance of anaphylaxis and the consequent neglect of health
173 care strategies for improving diagnosis, treatment and prevention at many levels of the
174 health care system.

175

176 *Evidence-based data call for changes of anaphylaxis mortality records*

177 In 2012, we estimated the magnitude of under-notification and under-reporting of
178 anaphylaxis deaths using the information derived from both the underlying and the
179 contributing causes of death data from the Brazilian Mortality Information System (*Sistema*
180 *de Informação sobre Mortalidade - SIM*). In this study, we analyzed all 3,296,247 death
181 records from 2008 to 2010 using ICD-10 and found a total of 498 anaphylaxis deaths based
182 on secondary data, with an average anaphylaxis death rate of 0.87/million/year, categorized
183 as "definitive" or "possible" cases (5). We considered as "possible anaphylaxis deaths",
184 cases that had an isolated allergic or hypersensitivity clinical condition listed as a
185 contributing cause of death (*e.g.*, angioedema or urticaria). We decided that such
186 conditions, unless presented together with other more specific anaphylaxis codes, could
187 only rarely be considered an underlying cause of death. All records described as anaphylaxis
188 or having an allergic or hypersensitivity condition as the underlying cause of death
189 associated with the possible trigger as contributing mortality data were classified as
190 "definitive anaphylaxis deaths". The remaining and unspecified cases (*e.g.*, missing
191 immediate cause of death in the death certificates) were considered "death unrelated to
192 anaphylaxis", for example, cases of sepsis shock. Two coders were responsible for the
193 analysis and there was a high agreement on the classification procedures between the two
194 coders (Cohen-kappa value 0.91) (5).

195 The most striking observation derived from this study was that none of these deaths
196 would have been attributed to anaphylaxis had we exclusively considered information from
197 the underlying cause-of-death field (5). The study called attention to the need for better
198 coding not only for anaphylaxis deaths, but also for all allergic and hypersensitivity
199 conditions, which would otherwise be misclassified in ICD-10 and early ICD-11 versions (May

200 2014 version) (26). The timing of the study was opportune as the ICD-11 revision process
201 was underway.

202 An important reason for this misclassification is the difficulty of coding anaphylaxis
203 fatalities under the WHO ICD system. In the ICD-10 (2016 version) platform (26), anaphylaxis
204 is classified under the “XIX Injury, poisoning and certain other consequences of external
205 causes” chapter, specifically the “T78 Adverse effects, not elsewhere classified” section.
206 Striking is that under the same category, are listed only severe cases of anaphylaxis (T78.2
207 Anaphylactic shock) and it is classified at the same level of “Anaphylactic shock due to
208 adverse food reaction”, “Angioneurotic oedema” and “Allergy, unspecified”. Causes of
209 deaths are classified and grouped according to the ICD edition in use at the time and the
210 information on death certificates is collected using the international form recommended by
211 the WHO. However, a limited number of ICD-10 codes are considered to be valid for
212 representing underlying causes of death on the current death certificates, and with regard
213 to anaphylaxis as such, there are simply no valid codes (Figure 1).

214

215

216 IMPROVING THE ACCURACY OF ANAPHYLAXIS MORTALITY STATISTICS THROUGH THE 217 INTERNATIONAL CLASSIFICATION OF DISEASES (ICD)-11

218 *The ALLERGY in ICD-11 initiative and the pioneer “Allergic and hypersensitivity conditions”* 219 *section*

220 Under development since 2007, ICD-11 is intended not only to rectify deficiencies in
221 ICD-10 and to incorporate changes driven by scientific advances, but also to take advantage
222 of the revolution in electronic data handling since the publication of ICD-10 a quarter of a
223 century ago (8). ICD-11 may be regarded as a suite of classifications which is based on a
224 detailed and comprehensive polyhierarchical web-like Foundation (Figure 2) in which any
225 single disease entity may be represented in more than one location (28).

226 Considering the ICD-11 revision as a key window of opportunity, a detailed action plan
227 was coordinated under the *ALLERGY in ICD-11* initiative (led by LKT and PD) with the aim of
228 creating a more appropriate classification for allergic and hypersensitivity conditions in this
229 new edition of ICD-11. Subsequently, we have produced technical and scientific evidence
230 demonstrating the need for classification and coding changes and we have participated in an
231 ongoing dialogue with the WHO ICD-11 revision governance team. All these efforts have
232 been documented in peer-reviewed publications (5,7,15-16,25,28-45), and are being
233 acknowledged and supported by the Joint Allergy Academies comprising the American

234 Academy of Allergy Asthma and Immunology (AAAAI), the European Academy of Allergy and
235 Clinical Immunology (EAACI), the World Allergy Organization (WAO), the American College of
236 Allergy Asthma and Immunology (ACAAI), the Asia Pacific Association of Allergy, Asthma and
237 Clinical Immunology (APAAACI), and the Latin American Society of Allergy, Asthma and
238 Immunology (SLAAI) (45).

239 The main outcome of this process has been the construction of the section titled
240 “Allergic and hypersensitivity conditions” under the new “Immune system disorders”
241 chapter of ICD-11 (27,30). By consolidating all allergic conditions into a single ICD-11 section,
242 rather than distributing them over many chapters as in ICD-10 and by allowing all the
243 relevant codes to be used for mortality and morbidity outcomes, we aimed to make it
244 simpler for clinicians, epidemiologists, statisticians, data custodians and other relevant
245 personnel to locate and document allergic disorders (Figure 1).

246 As part of the validation process of this new framework, we analyzed the capacity of
247 ICD-11 to capture anaphylaxis deaths by coding the original Brazilian data set of deaths
248 attributed to anaphylaxis during the period 2008 to 2010 using ICD-11 (5). In 2016, a manual
249 review of each of the records was performed. As a result, we identified 639 anaphylaxis
250 deaths, of which 95% were classified as “definite anaphylaxis deaths” (43). In contrast to the
251 2012 published data, we found a higher number of cases; moreover, all 606 definite
252 anaphylaxis deaths would be considered as underlying causes of death utilizing ICD-11. Even
253 more striking was the effect on the accuracy, reaching 95% for definite anaphylaxis when
254 ICD11 was used. This study was the first example of how the new “Allergic and
255 hypersensitivity conditions” section of the forthcoming ICD-11 can improve the quality and
256 accuracy of official vital statistics data and the visibility of an important public health
257 concern (43) (Figure 3).

258

259 *Changing the WHO ICD Mortality Coding rules for anaphylaxis*

260 Changes have been made in order to give allergic and hypersensitivity disorders
261 greater representation in ICD-11. During the revision process we have been in close contact
262 with the WHO Mortality Reference Group, because of our concerns that neither anaphylaxis
263 nor other specified allergies could be officially considered underlying causes of death in the
264 death certificate. A systematic review confirmed that countries other than Brazil have faced
265 the same problem with recording anaphylaxis mortality methods (15). The result of our
266 deliberations with the Mortality Reference Group is that coding rules have been changed by

267 the addition of allergic conditions, including anaphylaxis, as underlying causes of deaths in
268 official mortality statistics.

269

270 ANAPHYLAXIS IN ICD-11: CURRENT STATUS AND PERSPECTIVES

271 The ICD-11 was released in June 2018 in preparation for presentation to the World
272 Health Assembly (WHA) in May 2019 (7). In June 2018, the WHO designated the University
273 of Montpellier an official WHO Collaborating Centre (WHO CC) for Classification Scientific
274 Support, with LKT and PD as heads. This designation as the only WHO CC addressed to
275 allergic and hypersensitivity conditions' classification is the result of recognition by WHO of
276 the work done by *ALLERGY in ICD-11* in providing academic, research and scientific support
277 the WHO in the areas of our expertise in the implementation, refinement and maintenance
278 of the WHO Family of International Classifications (FIC) (46) (Figure 2).

279 Once ICD-11 has been approved by the WHA, the process of implementation of ICD-11
280 into each country's health information systems will be formally started, the use of ICD-11 is
281 scheduled to January 2022. Once implemented, there will likely to have two immediate
282 consequences of the use of the new classification based on the logic of the ICD-11: (i) the
283 number of reported anaphylaxis deaths may increase and (ii) inclusion of cases in official
284 mortality statistics will provide a global standard for comparability and, therefore, for
285 decision-making and prevention.

286 As knowledge derived from populations is key information for more realistic decision-
287 making, the construction of the new section of ICD-11 addressing to allergic and
288 hypersensitivity conditions will facilitate the collection of more accurate epidemiological
289 data. Ultimately, this will result in better health care planning to implement public health
290 measures for prevention and reduction of the morbidity and mortality attributable to these
291 conditions reflecting in a higher quality management of patients. As continuation of the
292 achievements in ICD-11, the heads of the WHO CC representing allergy (PD and LKT) are
293 working in an evidence-based process, together with the allergy academies, experts and
294 stakeholders, in order to reach global availability of adrenaline auto-injectors (7).

295 The timely introduction of the new classification of allergic and hypersensitivity
296 disorders in ICD-11 can be considered a much needed milestone in the history of the allergy
297 specialty. More reliable, accurate, comprehensive and comparable anaphylaxis
298 epidemiological data are expected in the forthcoming years. This technical, economical and
299 political move may provide a more representative global picture of these conditions and is
300 expected to support improvements to the management of allergic disorders worldwide.

301

302 **ABREVIATIONS**

303 AAI: adrenaline auto-injector

304 AAAAI: American Academy of Allergy Asthma and Immunology

305 ACAAI: American College of Allergy Asthma and Immunology

306 APAAACI: Asia Pacific Association of Allergy, Asthma and Clinical Immunology

307 EAACI: European Academy of Allergy and Clinical Immunology

308 WHO-FIC: World Health Organization - Family of International Classifications

309 ICD: International Classification of Diseases

310 SIM: Brazilian Mortality Information System

311 SLAAI: Latin American Society of Allergy, Asthma and Immunology

312 WAO: World Allergy Organization

313 WHA: World Health Assembly

314 WHO: World Health Organization

315 WHO CC: World Health Organization Collaborating Centre

316

317 **References**

318 1. Pulteney R, Maton WG, Troilius C, von Linné C. A general view of the writings of Linnaeus.
319 London: J. Mawman, 1805.

320 2. Knibbs GH. The International classification of disease and causes of death and its revision. *Med J*
321 *Aust* 1929;1:2-12.

322 3. Moriyama IM, Loy RM, Robb-Smith AHT. History of the statistical classification of diseases and
323 causes of death. Rosenberg HM, Hoyert DL, eds. Hyattsville, MD: National Center for Health
324 Statistics 2011.

325 4. WHO mortality website (cited, available: <https://www.who.int/topics/mortality/en/> accessed
326 January 2019)

327 5. Tanno LK, Ganem F, Demoly P, Toscano CM, Bierrenbach AL. Undernotification of anaphylaxis
328 deaths in Brazil due to difficult coding under the ICD-10. *Allergy* 2012;67:783-9.

329 6. Hynes M, Mueller LM, Li H, Amadeo F. Mortality & Its Risk Factors in CT: 1989-1998, p. 1-3
330 (available: [https://portal.ct.gov/-/media/Departments-and-](https://portal.ct.gov/-/media/Departments-and-Agencies/DPH/hisr/hcqsar/mortality/RiskFactorsReport/MortalityReportpdf.pdf?la=en)
331 [Agencies/DPH/hisr/hcqsar/mortality/RiskFactorsReport/MortalityReportpdf.pdf?la=en](https://portal.ct.gov/-/media/Departments-and-Agencies/DPH/hisr/hcqsar/mortality/RiskFactorsReport/MortalityReportpdf.pdf?la=en) accessed
332 January 2019)

333 7. Kase Tanno L, Demoly P; Joint Allergy Academies. Action Plan to Reach the Global Availability of
334 Adrenaline Auto-Injectors. *J Investig Allergol Clin Immunol*. 2018 Nov 13:0., in press

335 8. World Health Organization, International Classification of Diseases website. (cited, available:
336 <http://www.who.int/classifications/icd/en/> accessed January 2019.)

337 9. Simons FER, Arduoso LR, Bilò MB, Cardona V, Ebisawa M, El-Gamal YM, et al. International
338 consensus on (ICON) anaphylaxis. *World Allergy Organ J* 2014; 7: 9.

339 10. Simons FE, Arduoso LR, Bilò MB, El-Gamal YM, Ledford DK, Ring J et al. World allergy organization
340 guidelines for the assessment and management of anaphylaxis. *World Allergy Organ J*. 2011
341 Feb;4(2):13-37.

- 342 11. Muraro A, Roberts G, Worm M, Bilò MB, Brockow K, Fernández Rivas M, et al. on behalf of the
343 EAACI Food Allergy and Anaphylaxis Guidelines Group. Anaphylaxis: guidelines from the
344 European Academy of Allergy and Clinical Immunology. *Allergy* 2014; 69: 1026–1045.
- 345 12. Sampson HA, Munoz-Furlong A, Campbell RL, Adkinson NF Jr, Bock SA, Branum A et al. Second
346 symposium on the definition and management of anaphylaxis: summary report – Second
347 National Institute of Allergy and Infectious Disease/Food Allergy and Anaphylaxis Network
348 Symposium. *J Allergy Clin Immunol* 2006;117:391– 397.
- 349 13. Lieberman P, Nicklas RA, Oppenheimer J, et al. The diagnosis and management of anaphylaxis
350 practice parameter: 2010 update. *J Allergy Clin Immunol* 2010; 126:477–480.
- 351 14. Brown SG, Mullins RJ, Gold MS. Anaphylaxis: diagnosis and management. *Med J Aust* 2006;
352 185:283–289.
- 353 15. Tanno LK, Bierrenbach AL, Simons FER, Cardona V, Thong BY, Molinari N, Calderon MA, et al.; on
354 behalf the Joint Allergy Academies. Critical view of anaphylaxis epidemiology: open questions and
355 new perspectives. *Allergy Asthma Clin Immunol* 2018; 14: 12.
- 356 16. Tanno LK, Simons FER, Annesi-Maesano I, Calderon M, Aymé S, Demoly P. Fatal Anaphylaxis
357 Registries Data Support Changes In The WHO Anaphylaxis Mortality Coding Rules. *Orphanet*
358 *Orphanet J Rare Dis* 2017;12:8.
- 359 17. Turner PJ, Gowland MH, Sharma V, Ierodiakonou D, Harper N, Garcez T, et al. Increase in
360 anaphylaxis-related hospitalizations but no increase in fatalities: an analysis of United Kingdom
361 national anaphylaxis data, 1992-2012. *J Allergy Clin Immunol* 2015;135:956-63.
- 362 18. Pouessel G, Tanno LK, Claverie C, Lejeune S, Labreuche J, Dorkenoo A, et al. Fatal anaphylaxis in
363 children in France: Analysis of national data. *Pediatr Allergy Immunol* 2018;29:101-4.
- 364 19. Ansotegui IJ, Sánchez-Borges M, Cardona V. Current Trends in Prevalence and Mortality of
365 Anaphylaxis. *Curr Treat Options Allergy* 2016;3:205–11.
- 366 20. Pouessel G, Claverie C, Labreuche J, Dorkenoo A, Renaudin JM, Eb M, et al. Fatal anaphylaxis in
367 France: Analysis of national anaphylaxis data, 1979-2011. *J Allergy Clin Immunol* 2017;140:610-2.
- 368 21. Xu YS, Kastner M, Harada L, Xu A, Salter J, Wasserman S. Anaphylaxis-related deaths in Ontario: a
369 retrospective review of cases from 1986 to 2011. *Allergy Asthma Clin Immunol* 2014;10:38.
- 370 22. Jerschow E, Lin RY, Scaperotti MM, McGinn AP. Fatal anaphylaxis in the United States, 1999-2010:
371 temporal patterns and demographic associations. *J Allergy Clin Immunol* 2014;134:1318-28.
- 372 23. Mullins RJ, Wainstein BK, Barnes EH, Liew WK, Campbell DE. Increases in anaphylaxis fatalities in
373 Australia from 1997 to 2013. *Clin Exp Allergy* 2016;46:1099-110.
- 374 24. Kivistö JE, Dunder T, Protudjer JL, Karjalainen J, Huhtala H, Mäkelä MJ. Adult but no pediatric
375 anaphylaxis-related deaths in the Finnish population from 1996 to 2013. *J Allergy Clin Immunol*
376 2016;138:630-2.
- 377 25. Tanno LK, Calderon MA, Goldberg BJ, Akdis CA, Papadopoulos NG, Demoly P. Categorization of
378 Allergic Disorders in the New World Health Organization International Classification of Diseases.
379 *Clin Transl Allergy* 2014; 4: 42.
- 380 26. WHO International Classification of Diseases 10th edition (2016 version) website (cited, available:
381 <https://icd.who.int/browse10/2016/en> accessed January 2019).
- 382 27. World Health Organization, ICD-11 Beta Draft website. (cited, available:
383 <http://apps.who.int/classifications/icd11/browse/l-m/en> June 2018).
- 384 28. Tanno LK, Simons FER, Sanchez-Borges M, Cardona V, Moon HB, Calderon MA, et al.; Joint Allergy
385 Academies. Applying prevention concepts to anaphylaxis: A call for worldwide availability of
386 adrenaline auto-injectors. *Clin Exp Allergy*. 2017 Sep;47(9):1108-1114.
- 387 29. Tanno LK, Demoly P. One Voice for Anaphylaxis in France: The Vision of the Centre of Reference
388 in Rare Diseases. *Rev Fr Allergol*, December 2017, 57(8):583-587
- 389 30. Tanno LK, Calderon MA, Demoly P; on behalf the Joint Allergy Academies. New Allergic and
390 Hypersensitivity Conditions Section in the International Classification of Diseases-11. *Allergy*

391 Asthma Immunol Res 2016; 8: 383-8.

392 31. Tanno LK, Simons FE, Annesi-Maesano I, Calderon MA, Aymé S, Demoly P; Joint Allergy
393 Academies. Fatal anaphylaxis registries data support changes in the who anaphylaxis mortality
394 coding rules. *Orphanet J Rare Dis* 2017; 12: 8.

395 32. Demoly P, Tanno LK, Akdis CA, Lau S, Calderon MA, Santos AF et al. Global classification and
396 coding of hypersensitivity diseases – An EAACI – WAO survey, strategic paper and review. *Allergy*
397 2014; 69: 559-70.

398 33. Tanno LK, Calderon MA, Goldberg BJ, Gayraud J, Bircher AJ, Casale T et al. Constructing a
399 classification of hypersensitivity/allergic diseases for ICD-11 by crowdsourcing the allergist
400 community. *Allergy* 2015; 70: 609-15.

401 34. Tanno LK, Calderon M, Papadopoulos NG, Demoly P. Mapping hypersensitivity/allergic diseases in
402 the International Classification of Diseases (ICD)-11: cross-linking terms and unmet needs. *Clin*
403 *Transl Allergy* 2015; 5: 20.

404 35. Tanno LK, Calderon MA, Demoly P; on behalf the Joint Allergy Academies. Making allergic and
405 hypersensitivity conditions visible in the International Classification of Diseases-11. *Asian Pac*
406 *Allergy* 2015; 5: 193-6.

407 36. Tanno LK, Calderon MA, Demoly P; on behalf the Joint Allergy Academies. Optimization and
408 simplification of the allergic and hypersensitivity conditions classification for the ICD-11. *Allergy*
409 2016; 71: 671-6.

410 37. Tanno LK, Calderon MA, Papadopoulos NG, Sanchez-Borges M, Rosenwasser LJ, Bousquet J, et al.
411 Revisiting Desensitization and Allergen Immunotherapy Concepts for the International
412 Classification of Diseases (ICD)-11. *J Allergy Clin Immunol Pract* 2016; 4: 643-9.

413 38. Tanno LK, Calderon MA, Li J, Casale T, Demoly P. Updating Allergy/Hypersensitivity diagnostic
414 procedures in the WHO ICD-11 revision. *J Allergy Clin Immunol Pract* 2016; 4: 650-7.

415 39. Tanno LK, Calderon MA, Papadopoulos NG, Sanchez-Borges M, Moon HB, Sisul JC, et al.; Joint
416 Allergy Academies. Surveying the new allergic and hypersensitivity conditions chapter of the
417 International classification of diseases (ICD)-11. *Allergy* 2016; 71: 1235-40.

418 40. Tanno LK, Calderon M, Demoly P; Joint Allergy Academies. Supporting the validation of the new
419 allergic and hypersensitivity conditions section of the World Health Organization International
420 Classification of Diseases-11. *Asia Pac Allergy* 2016; 6: 149-56.

421 41. Tanno LK, Calderon M, Sublett JL, Casale T, Demoly P; Joint Allergy Academies. Smoothing the
422 transition from International Classification of Diseases, Tenth Revision, Clinical Modification to
423 International Classification of Diseases, Eleventh Revision. *J Allergy Clin Immunol Pract* 2016; 4:
424 1265-7.

425 42. Tanno LK, Calderon MA, Smith HE, Sanchez-Borges M, Sheikh A, Demoly P; Joint Allergy
426 Academies. Dissemination of definitions and concepts of allergic and hypersensitivity conditions.
427 *World Allergy Organ J.* 2016; 9: 24.

428 43. Tanno LK, Bierrenbach AL, Calderon MA, Sheikh A, Simons FE, Demoly P; Joint Allergy Academies.
429 Decreasing the undernotification of anaphylaxis deaths in Brazil through the International
430 Classification of Diseases (ICD)-11 revision. *Allergy* 2017; 72: 120-5.

431 44. Tanno LK, I Ansotegui, P Demoly. Globalization and anaphylaxis. *Curr Opin Allergy Clin Immunol*
432 2018; Oct;18(5):365-369.

433 45. Tanno LK, Casale T, Papadopoulos NG, Sanchez-Borges M, Thiens F, Pawankar R, et al.. A call to
434 arms of specialty societies to review the WHO International Classification of Diseases, Eleventh
435 Revision terms appropriate for the diseases they manage: The example of the Joint Allergy
436 Academies. *Allergy Asthma Proc.* 2017 Jul 1;38(4):54-55.

437 46. WHO website, WHO Collaborating Centres (available at:
438 [http://apps.who.int/whocc/Detail.aspx?cc_ref=FRA-](http://apps.who.int/whocc/Detail.aspx?cc_ref=FRA-133&designation_date1=1/6/2018&designation_date2=18/7/2018&)
439 [133&designation_date1=1/6/2018&designation_date2=18/7/2018&](http://apps.who.int/whocc/Detail.aspx?cc_ref=FRA-133&designation_date1=1/6/2018&designation_date2=18/7/2018&) , accessed on January 2019).

440

441

442 **FUNDING:**

443 Pascal Demoly and Luciana Kase Tanno received an unrestricted Novartis and MEDA/Mylan
444 Pharma grants through CHRUM administration.

445

446 **CONFLICT OF INTERESTS:**

447 The authors declare that they do not have conflict of interests related to the contents of this
448 article.

449 **CONTRIBUTIONS:**

450 The first and last authors contributed to the construction of the document (designed the
451 study, analysed and interpreted the data, and wrote the manuscript). All the authors
452 critically revised and approved the final version of the manuscript and agree to be
453 accountable for all the aspects of the work.

454

455

456 **ACKNOWLEDGEMENTS:**

457 We are grateful to all the representatives of the ICD-11 revision with whom we have been
458 carrying on fruitful discussions, helping us to tune the here presented classification: Robert
459 Jakob, Linda Best, Nenad Kostanjsek, Linda Moskal, Robert J G Chalmers, Jeffrey Linzer, Linda
460 Edwards, Ségolène Ayme, Bertrand Bellet, Rodney Franklin, Matthew Helbert, August
461 Colenbrander, Satoshi Kashii, Paulo E. C. Dantas, Christine Graham, Ashley Behrens, Julie
462 Rust, Megan Cumerlato, Tsutomu Suzuki, Mitsuko Kondo, Hajime Takizawa, Nobuoki Kohno,
463 Soichiro Miura, Nan Tajima and Toshio Ogawa.

464

465

466 **LEGEND OF FIGURES**

467

468 **Figure 1: Changes of anaphylaxis classification in the International Classification
469 of Diseases (ICD)-10 and in the ICD-11**

470 **Figure 2: Timeline of ICD-11 revision and implementation, and historic-
471 prospective actions of the ALLERGY in ICD-11 initiative**

472 **Figure 3: Evidence-based data demonstrates the increase of accuracy and
473 sensibility of ICD-11 for anaphylaxis vital statistics in Brazil, adapted references 5
474 and 43. Coding accuracy and sensitivity was much improved over ICD-10 when
475 ICD-11 was used.**

476

ICD-10 Version:2016

Search [Advanced Search]

ICD-10 | Versions - Languages | Info

- ▼ T66-T78 Other and unspecified effects of external cause
 - ▶ T66 Unspecified effects of radiation
 - ▶ T67 Effects of heat and light
 - ▶ T68 Hypothermia
 - ▶ T69 Other effects of reduced temperature
 - ▶ T70 Effects of air pressure and water pressure
 - ▶ T71 Asphyxiation
 - ▶ T73 Effects of other deprivation
 - ▶ T74 Maltreatment syndromes
 - ▶ T75 Effects of other external causes
 - ▼ T78 Adverse effects, not elsewhere classified
 - ▶ T78.0 Anaphylactic shock due to adverse food reaction
 - ▶ T78.1 Other adverse food reactions, not elsewhere classified
 - ▶ T78.2 Anaphylactic shock, unspecified
 - ▶ T78.3 Angioneurotic oedema
 - ▶ T78.4 Allergy, unspecified
 - ▶ T78.8 Other adverse effects, not elsewhere classified
 - ▶ T78.9 Adverse effect, unspecified
 - ▶ T79-T79 Certain early complications of trauma
 - ▶ T80-T88 Complications of surgical and medical care, not elsewhere classified
 - ▶ T90-T98 Sequelae of injuries, of poisoning and of other consequences of external causes
 - ▶ XX External causes of morbidity and mortality
 - ▶ XXI Factors influencing health status and contact with health services

T78 Adverse effects, not elsewhere classified

Note: This category is to be used as the primary code to identify the effects, not elsewhere classifiable, of unknown, undetermined or ill-defined causes. For multiple coding purposes this category may be used as an additional code to identify the effects of conditions classified elsewhere.

Excl.: complications of surgical and medical care NEC (T80-T88)

T78.0 Anaphylactic shock due to adverse food reaction

T78.1 Other adverse food reactions, not elsewhere classified

Excl.: bacterial foodborne intoxications (A05.-) dermatitis due to food (L27.2) dermatitis due to food

- in contact with the skin (L23.6, L24.6, L25.4)

T78.2 Anaphylactic shock, unspecified

Allergic shock
Anaphylactic reaction NOS
Anaphylaxis

Excl.: anaphylactic shock due to:

- adverse effect of correct medicinal substance properly administered (T88.6)
- adverse food reaction (T78.0)
- serum (T80.5)

T78.3 Angioneurotic oedema

Giant urticaria
Quincke oedema

Excl.: urticaria (L50.-) urticaria

- serum (T80.6)

T78.4 Allergy, unspecified

Allergic reaction NOS
Hypersensitivity NOS
Idiosyncrasy NOS

ICD-11 for Mortality and Morbidity Statistics (December 2018)

Search [Advanced Search]

Browse | Coding Tool | Special Views | Info

Foundation Id : <http://id.who.int/icd/entity/1868068711>

4A84 Anaphylaxis

Parent: Allergic or hypersensitivity conditions

Description
Anaphylaxis is a severe, life-threatening systemic hypersensitivity reaction characterized by being rapid in onset with potentially life-threatening airway, breathing, or circulatory problems and is usually, although not always, associated with skin and mucosal changes.

Coordination
For detail to **Anaphylaxis**

Severity (use additional code, if desired)

XS5W	Mild
XS0T	Moderate
XS25	Severe

▼ Anaphylaxis

- ▶ Anaphylaxis due to allergic reaction to food
- ▼ Drug-induced anaphylaxis
 - ▶ Anaphylaxis due to radiocontrast media
 - ▶ Anaphylaxis due to insect venom
- ▼ Anaphylaxis provoked by physical factors
 - ▼ Exercise-induced anaphylaxis
 - ▶ Food-dependent exercise-induced anaphylaxis
 - ▶ Food-independent exercise-induced anaphylaxis
 - ▶ Cold-induced anaphylaxis
- ▶ Anaphylaxis due to inhaled allergens
- ▶ Anaphylaxis due to contact with allergens
- ▶ Anaphylaxis secondary to mast cell disorder
- ▶ Latex-induced anaphylaxis

Figure 1: Changes of anaphylaxis classification in the International Classification of Diseases (ICD)-10 and in the ICD-11




Figure 2: Timeline of ICD-11 revision and implementation, and historic-prospective actions of the ALLERGY in ICD-11 initiative




Figure 3: Evidence-based data demonstrates the increase of accuracy and sensitivity of ICD-11 for anaphylaxis vital statistics in Brazil, adapted references 5 and 43. Coding accuracy and sensitivity was much improved over ICD-10 when ICD-11 was used.