

The underground network: facilitation in soil bacteria

Jesse Jorna, Byron Adams, Zachary Aanderud, Paul Frandsen, Cristina Takacs-Vesbach, Sonia Kéfi

▶ To cite this version:

Jesse Jorna, Byron Adams, Zachary Aanderud, Paul Frandsen, Cristina Takacs-Vesbach, et al.. The underground network: facilitation in soil bacteria. Oikos, 2024, 2024 (8), 10.1111/oik.10299. hal-04668234

HAL Id: hal-04668234 https://hal.umontpellier.fr/hal-04668234

Submitted on 6 Aug 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

1 The underground network: Facilitation in soil bacteria

Jesse Jorna [1], Byron J. Adams [1][5], Zachary T. Aanderud [2], Paul B. Frandsen [2], Cristina Takacs-Vesbach [3] and Sonia Kéfi [4,6]

[1] Brigham Young University, Department of Biology, Provo, UT USA [2] Brigham Young University, Department of Plant and Wildlife Sciences, Provo, UT USA [3] University of New Mexico, Department of Biology, Albuquerque, NM USA [4] Université de Montpellier, Institut des Sciences de l'Evolution de Montpellier, CNRS, IRD, EPHE, Montpellier, France [5] Monte L. Bean Life Science Museum, Brigham Young University, Provo, UT USA, [6] Santa Fe Institute, Santa Fe, NM USA

Our understanding of the fundamental role that soil bacteria play in the structure and functioning of Earth's ecosystems is ever expanding, but insight into the nature of interactions within these bacterial communities remains rudimentary. Bacterial facilitation may enhance the establishment, growth, and succession of eukaryotic biota, elevating the complexity and diversity of the entire soil community and thereby modulating multiple ecosystem functions. Global climate change often alters soil bacterial community composition, which, in turn, impacts other dependent biota. However, the impact of climate change on facilitation within bacterial communities remains poorly understood even though it may have important cascading consequences for entire ecosystems. The wealth of metagenomic data currently being generated gives community ecologists the ability to investigate bacterial facilitation in the natural world and how it affects ecological systems responses to climate change. Here, we review current evidence demonstrating the importance of facilitation in promoting emergent properties such as community diversity, ecosystem functioning, and resilience to climate change in soil bacterial communities. We show that a synthesis is currently missing between the abundant data, newly developed models and a coherent ecological framework that addresses these emergent properties. We highlight that including phylogenetic information, the physicochemical environment, and species-specific ecologies can improve our ability to infer interactions in natural soil communities. Following these recommendations, studies on bacterial facilitation will be an important piece of the puzzle to understand the consequences of global change on ecological communities and a model to advance our understanding of facilitation in complex communities more generally.

Keywords: facilitation, bacteria, climate change, stress-gradient hypothesis, resilience

2

3

4

5

6

7

8 9

10

11

12

13

14 15

16

17 18

19

20

21 22

23

24 25

26

27

28

Introduction

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

"Natural, unconscious mutualism is one of the basic principles of biology"

W.C Allee in 'Principles of Animal Ecology', 1949

Soil bacterial communities are integral parts of almost all of earth's ecosystems, from sediments in the deepest marine trenches to soils on the highest mountains (Takami et al. 1997, Zhang et al. 2009). As fundamental links in the soil-plant interface and chemical pumps for the nitrogen and carbon cycles (Prashar et al. 2014, Naylor et al. 2020, Domeignoz-Horta et al. 2020), the importance of soil bacteria for life on earth is hard to overstate. Mirroring Darwin's observations on plant communities, repeated evidence has identified soil bacterial diversity as an essential driver of ecosystem functioning (Finlay et al. 1997, Delgado-Baquerizo et al. 2017). Soil bacterial diversity ultimately facilitates many aspects of plant growth (Hayat et al. 2010), survival (Wei et al. 2019) and fertility (Chaparro et al. 2012), and influences atmospheric processes through reducing greenhouse gas emissions and sequestering CO2 thereby directly impacting human survival and well-being (Paustian et al. 2016). Further, the loss of bacterial diversity can impact large-scale ecosystem processes such as carbon cycling capabilities of soils in a wide range of ecosystems (de Graaff et al. 2015). Our understanding of the relationship between bacterial diversity and soil function continues to improve (Wagg et al. 2019), but studies so far have overlooked the role of biotic interactions in structuring bacterial communities (Horner-Devine et al. 2004, Abdul Rahman et al. 2021).

The importance of biotic interactions in specific aspects of microbial ecology has long been recognized, for example, in the formation of biofilms or microbial mats (Davey and O'toole 2000). Microbial ecology has historically focused predominantly on negative interactions in bacterial communities, such as competition for resources (Hibbing et al. 2010) or parasitic relationships (Geiman 1964). Over the past decade, these negative interactions and their effects on community functions have continued to be examined in bacterial systems, without taking positive interactions into account (Ghoul and Mitri 2016). The relative importance of positive versus negative interactions has been investigated using culture-based studies (Griffin et al. 2004) and some have argued that, on average, negative interactions are the prevailing drivers of bacterial community structure in experiments while positive interactions would be rare (Palmer and Foster 2022). However, positive interactions have long been known to be an essential component of bacterial communities; decades ago, Hardin (1944) established that some bacterial species cannot exist in mono-culture and require a symbiotic partner for survival. More recent studies have suggested positive interactions are important for community structure and functions, and probably more common than previously thought in bacterial communities (Pacheco et al. 2019, Kehe et al. 2021). As bacterial soil communities are increasingly studied worldwide, in particular because of the tools and data required to do so have increasingly become available, it is important that positive interactions are properly considered in these systems.

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

Interactions can be mutually (+/+) or asymmetrically (+/0) positive, and both types are more broadly referred to as facilitation. The most cited definition of facilitation in community ecology requires a positive effect on a single species' establishment, growth, or recruitment without negatively impacting the other (e.g. Bertness and Callaway 1994, and more specifically in Bronstein 2009). While exploitation or parasitism (+/-) may see

one species' growth being facilitated by the presence of another (see e.g. Kehe et al. 2021), these interactions are typically grouped outside of ecological facilitation in the literature (see for instance Stachowicz 2001). Facilitation has been shown to have important effects on community structure and functioning in a variety of bacterial communities and can occur both intra- and interspecifically (Miele et al. 2019, Navarro-Cano et al. 2021). Intra-species facilitation, for example in Myxococcus strains, can lead to complex emergent effects that provide function and alter community structure in a multicellular community. These populations collectively excrete enzymes to kill 'prey', including larger eukaryotes, a phenomenon referred to as social 'predation' (Contreras-Moreno et al. 2024); and they are also well known for their aggregated fruiting body formation under environmental stress, in which different individuals specialize to facilitate resistant spore development (Reichenbach 1993). Examples of inter-specific facilitation are seen when species defend themselves and other community members against Myxococcus predation, by contributing to biofilm formation and through the production of antimicrobial chemicals (Thiery and Kaimer 2020). The bacterial world is full of other examples, where direct, pairwise facilitation benefits growth of bacterial strains (Ferrier et al. 2002, Morris et al. 2008, Pekkonen and Laakso 2012), confers benefits in dealing with environmental stress (Silveira Martins et al. 2016) and structures entire communities and maintains biodiversity (Kaeberlein et al. 2002, Niehaus et al. 2019). Facilitation can also be indirect or context-dependent, and higher order interactions may be important for diversity and resulting ecosystem functions (Bairey et al. 2016). In bacterial soil communities, relatively little is known about the effects of facilitation on community structure, functions and response to global change.

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

Soil bacterial communities are in a time of extensive exploration due to the rapidly increasing availability of genetic data and the development of metagenomic techniques (Riesenfeld et al. 2004, Thompson et al. 2017). As the role of bacteria in driving soil functions in agricultural and natural systems becomes more apparent (Falkowski et al. 2008, Astudillo-García et al. 2019), the potential vulnerabilities of soil bacterial communities to climate change has facilitated their inclusion into broader ecological theory (Prosser et al. 2007, Naylor et al. 2020). This makes them an excellent study system for fundamental ecological questions, such as the importance and prevalence of facilitative interactions in complex communities and the relationship of interactions to the environment. However, comprehensive studies of bacterial facilitation in naturally occurring soil communities remain rare in the literature. Recent studies have investigated soil bacterial interactions in a broader ecological framework (Goberna et al. 2019, Hernandez et al. 2021), but many microbial ecology papers only scratch the surface of what interaction networks may explain in regard to facilitation (Goberna and Verdú 2022), and especially how this might be pertinent in relationship to global change.

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

When investigated, facilitation in soil bacteria is often demonstrated to have important consequences for the larger soil community, including eukaryotic structure and function (Rodríguez-Echeverría et al. 2016), and plays a role in the mediation of stressful conditions induced by climate change (David et al. 2020, Yuan et al. 2021). Bacterial soil community interactions are thus intrinsically linked to the functioning and resilience of whole ecosystems. Here, we argue that soil bacterial communities are an underutilized study system for investigating the importance of facilitation in complex natural systems, and we show how their study can help advance our understanding of the way interactions

affect the responses of these systems to global change. Specifically, understanding the role of facilitation on emergent properties of soil systems requires adopting a broader ecological framework, which could prove crucial for predicting the effects of global change in both soils and ecosystems more generally.

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

121

122

123

124

2 - Prevalence of bacterial facilitation in culture and nature

Microcosm studies have provided evidence for the existence of bacterial facilitation since the development of this field of study. The seminal work by Winogradsky on nitrifying organisms first showed how bacteria may depend on the metabolic product produced by another organism (Winogradsky 1890). Later, microcosms continued laying the groundwork of such resource-sharing mechanisms, by which bacteria may grow on otherwise nutrient-deficient media (Winkler et al. 1952). This bacterial 'cross-feeding' exists in many forms and has long been shown as a requirement for the establishment of some species in microcosm (Yeoh et al. 1968). These examples of cross-feeding are now understood to be more energetically efficient and lead to higher growth rates (Costa et al. 2006). Bacterial species that evolve complementary resource-use strategies may make use of available waste products in co-culture, ultimately resulting in higher productivity than in monoculture (Lawrence et al. 2012). It is noteworthy that these studies elucidating the mechanisms underlying facilitation have been limited to the investigation of pairwise bacterial interactions. In complex bacterial communities, facilitative relationships between species are not fixed and consist of a dynamic interplay between different species and genotypes (Velicer 2003). To understand the importance of facilitative interactions in bacterial communities, more studies in the complex conditions of the natural world are needed (Little et al. 2008, Kodera et al. 2022).

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

Natural soil communities consist of bacterial species constantly interacting with each other, and intra- and interspecific relationships are mediated by the abilities of species to communicate with and regulate each other (West et al. 2006). Bacteria that competitively exclude one another in isolated co-culture may instead co-exist in more complex communities (Chang et al. 2023). For example, in natural soils bacteria commonly aggregate in biofilms and thus form intricate ecological and social networks that express many facilitative functions (Watnick and Kolter 2000, Solano et al. 2014). Protection from trophic pressures (Matz and Kjelleberg 2005, Justice et al. 2008), UV-radiation (Córdova-Alcántara et al. 2019) or desiccation (Rosenzweig et al. 2012) are commonly associated with biofilm formation of bacteria, all underlaid by community interactions (Zachar and Boza 2022). Public good production is also required to lay the groundwork for biofilm formation and is further promoted inside closely interacting biofilm communities (Flemming and Wingender 2010, Liu et al. 2015). Biofilms thus represent, essentially, a mediation of the environment, whether resource-based or through other compounds, which is a common way for bacterial organisms to make new niche space available and increase the diversity and productivity of ecosystems (Oña et al. 2021). Biofilms also create a space for rapid bacterial evolution through the facilitation of horizontal gene transfer (Song et al. 2021), and they facilitate the dispersal of biofilm members to novel environments (Kaplan and Fine 2002). Biofilm formation itself is even inherently dependent on facilitative processes such as polymer excretions and metabolic dependencies, but they also form a battleground for bacterial competition (Huang et al. 2011, Giaouris et al. 2015). A relevant ecological question thus becomes: how are interaction types influenced by environmental conditions?

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

In the natural world, interactions between bacteria can shift from facilitation to competition depending on environmental conditions (Sun et al. 2022). Shifts from facilitative to competitive relationships may occur as a result of rapid evolution or shifts in community structure when conditions change (Zuñiga et al. 2019, Drew et al. 2021). Indeed, while a large repertoire of metabolic co-dependencies exists in bacterial communities, and many of these codependent interactions occur without significant cost to the facilitator, facilitative strategies may also be costly (Pacheco et al. 2019, Boza et al. 2023). For example, cheaters may exploit such strategies and engage in an 'adaptive race' with the facilitating organisms (Waite and Shou 2012). Potential interactions extend past the metabolic realm to the production and use of specific 'public goods' in bacterial communities, with common examples being the buildup of community-wide antibiotic resistance and other toxicity mediation that improves the environment for other organisms (Lee et al. 2010, Cordero et al. 2012, see Zengler and Zaramela 2018 for a more comprehensive summary). These resource sharing interactions exist on a spectrum from obligate mutualisms to facultative forms of commensalism (Morris et al. 2013), and bacteria can regulate facilitative behaviors through mechanisms like Quorum sensing (O'Brien et al. 2017) and rapid evolution (Drew et al. 2021). Large-scale analysis of natural systems suggests that different types of bacterial communities may emerge as a result, diverging into highly competitive and/or highly facilitative groups (Machado et al. 2021). Other evidence demonstrates that many more intermediates exist in nature, with facilitation playing an important role in the functioning of many bacterial communities

(Kost et al. 2023). What remains unclear is how the environment drives shifts in interactions in complex natural systems, and how this in turn affects overall bacterial community structure and functioning.

3 - Bacterial facilitation in changing environments

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

The Stress-Gradient Hypothesis (SGH) is a theoretical framework developed to assess the relationship between the environmental conditions and the frequency and strength of facilitative interactions (Bertness and Callaway 1994). Although the (species- or ecosystem-) specific response of the relationship between environmental stress on the one hand and the direction and strength of interactions in the other hand may differ depending on the type and strength of the stressor (Maestre et al. 2009, Smit et al. 2009), the SGH generally predicts that facilitative interactions should be more common and important under higher environmental stress, such as drought and temperature increases related to climate change (Verwijmeren et al. 2014, Gallien et al. 2018). Depending on the stress type and species-specific responses, facilitative networks have also been shown to collapse entirely under severe stress (Michalet et al. 2014). As conditions change, the overall interaction networks may change in real time as species requirements adapt (Soliveres et al. 2010, Guignabert et al. 2020). While a consensus exists regarding this theory for plant communities, there is only limited evidence for its applicability to other systems such as soil bacterial communities (Adams et al. 2021). The applicability of the SGH in bacterial communities was notably first considered in a mathematical model (Lawrence and Barraclough 2015), and Piccardi et al. (2019) were the first to perform a

microcosm study that investigated the interactions type and strength of four bacterial species under changes in available nutrients and heavy metal toxicity.

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

In bacteria, public-goods producers have been used to study the shift in interaction types under resource-based (Hoek et al. 2016) or toxin-based stress gradients (Hesse et al. 2018). Indeed, toxicity-remediating bacteria provided the first targeted study system to assess the SGH in bacterial systems (Piccardi et al. 2019), and it presented evidence for the applicability of the SGH in this system (Hammarlund and Harcombe 2019), although earlier studies had already shown similar results without addressing the SGH explicitly (Silveira Martins et al. 2016, Velez et al. 2018). Toxicity gradients and associated public good production remain an important model in SGH research in bacteria, including in naturally occurring bacterial soil communities (Martino et al. 2023), where anthropogenically polluted systems were shown to exhibit a higher proportion of positive interactions in response to copper stress (Hesse et al. 2021) and other heavy metals (Li et al. 2017). These studies have focused mostly on pairwise interactions in co-culture and have provided strong evidence for the utility of the SGH as a framework to investigate bacterial interactions in relationship to soil physicochemistry (Silveira Martins et al. 2016, Weiss et al. 2022), but they are not informative for the broader question of how complex bacterial communities might respond to multi-facetted global change.

Naturally occurring soil bacterial communities are increasingly recognized as a model for the study of the SGH, because of their ubiquity (Finlay 2002), large range of potential functions (Finlay et al. 1997), the ease of replication to study evolutionary and ecological time scales (Kayser et al. 2018) and their use as an analog for other biota (Steffan et al. 2015). Soil bacterial communities have been used to study interaction networks in the

context of environmental stress, pressures, and climate change (see e.g. Yuan et al. 2021, Yang et al. 2022). Support for the SGH within soil bacterial communities is found when the effects of holistic stress gradients (Hernandez et al. 2021, Mandakovic et al. 2023) or an investigation of different stressors (Zhou et al. 2021) are considered, both mimicking the potential effects of broader global change on soil communities. Narrower environmental gradients such as salinity (Menéndez-Serra et al. 2022) or drought (Gao et al. 2022) may find more conflicting results where different bacterial groups exhibit more variable responses. Collapse of facilitation under high environmental stress is shown in soil bacteria as in other systems (Wang et al. 2018), and drought is frequently reported as a driving environmental control of interaction strengths (de Vries et al. 2018, Gao et al. 2022). However, it is not well known how global change may influence soil interaction networks generally, and many studies continue to underreport the interplay between environment and interaction types in soil bacterial communities. Meanwhile, the data and methods are available and often already included in their analyses, yet they fall short in their application within a coherent ecological framework (Ma et al. 2020a, Feng et al. 2024).

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

4 - How to investigate bacterial facilitation in the natural world

The arrival of high-throughput nucleic acid sequencing has offered unique advantages in the study of natural bacterial communities (Hugenholtz et al. 1998, Lozupone and Knight 2007) and their relationship to environmental pressures (Fierer and Jackson 2006). 16S rRNA or similar genetic markers enable profiling techniques that are extremely useful for rapidly and comprehensively mapping the structure and diversity of bacterial communities

in soils (Thompson et al. 2017). These data readily supply community ecologists with species co-occurrence matrices used to infer the strength and direction of interactions between species using co-occurrence methods (Sfenthourakis et al. 2006, Veech 2013. Such co-occurrence methods may include environmental and spatial data to control for the potential effects of these processes and more accurately reflect real biotic interactions (D'Amen et al. 2018), or indirect interactions between associated species (Morueta-Holme et al. 2016). Compared to other ecological systems, bacterial soil communities have the added benefit of cosmopolitan ranges and high dispersal while simultaneously exhibiting biogeographic species fluctuations (Martiny et al. 2006, Ramette and Tiedje 2007, Meyer et al. 2018), allowing for better inference of species' interactions from cooccurrences. Many studies have emerged over the last years inferring interaction networks from soil community metagenomic data with varying degrees of success (Matchado et al. 2021). However, many studies present genetically inferred interaction networks without a clear ecological framework to interpret those results and the drawbacks of using co-occurrence data to infer interaction types is frequently noted (Barner et al. 2018, Blanchet et al. 2020).

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

Marker-gene based co-occurrence network approaches are thus regularly, and justly, criticized for poorly reflecting known species' ecologies (Freilich et al. 2018). However, because metagenomic datasets generate phylogenetically relevant information about investigated bacteria, this information may increase the confidence of inferred interaction types assigned through these co-occurrence methods (Goberna et al. 2019). Closely phylogenetically related bacteria are more likely to exhibit competitive interactions in the same ecosystem (Tan et al. 2012). Therefore, comparing the phylogenetic diversity within

ecosystems may help measure the prevalence of competitive interactions in that ecosystem (Stegen et al. 2012). Evidence for this theory, called niche conservatism, has broad application across the tree of life for bacteria and archaea and may increase the confidence of assigning species interactions based on co-occurrence data (Goberna and Verdú 2016).

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

Using phylogenetically informed co-occurrence networks allows researchers to investigate larger conceptual patterns (Goberna and Verdú 2022). Updated frameworks that build on these association methods can further improve detection of interactions by using ecological information about species' traits with better a predictive power than phylogenetic information alone (Kéfi et al. 2016, Alneberg et al. 2020). Studies on bacteria using such trait- (Wang et al. 2023, Metz et al. 2023) and gene-based network methods to infer interaction types (Schaedel et al. 2023) may also help gain information about indirect and non-linear interaction types amongst community members that might not be revealed by a co-occurrence matrix alone (Saiz et al. 2019). Combined methods using these trait-based approaches allow a fuller understanding of the spatial and temporal variation in facilitating relationships (Tumolo et al. 2020), such as joint species distribution models (D'Amen et al. 2018). Network models may also confirm known interactions and reveal previously undiscovered associations between species encompassing both trophic and non-trophic interactions (Thurman et al. 2019). Using models to assess complex interaction webs such as metabolic dependencies and grounding them with empirical data thus confirms underlying relationships (e.g. Liao et al. 2020) even when the microbial species investigated aren't always culturable or their metabolisms known (Lam et al. 2020). Promisingly, studies that do consider specific functional groups find a high interaction strength of potential facilitators (Chao et al. 2016) – though these studies, in turn, often refrain from putting such results in a broader ecological framework – hampering our ability to elucidate conclusions applicable to other systems.

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

To investigate the relationship between bacterial facilitation and the environment in a broader ecological framework, networks need to be examined comparatively and environmental information. Different environments exhibit broader phylogenetic diversity in bacterial communities (Goberna et al. 2014) or may directly influence the prevalence of certain interaction types (Piccardi et al. 2019). Coupled with phylogenetic information, network data may infer the overdispersion of taxonomic diversity and overall richness as a proxy for the strength of facilitative interactions in different environments (Goberna and Verdú 2016). Future research needs to emphasize fine-scale environmental information relevant to the bacterial communities studied to understand its relationship to community interactions and the potential collapse of bacterial networks under environmental stress (Michalet et al. 2014). Alternatively, facilitation may be studied directly in the metagenome of whole communities by looking at cooperative genes (Simonet and McNally 2021). Different approaches may reinforce one another by basing the assumptions on community-level interactions inferred from phylogenetic data on evidence from pairwise-experiments and validating those experiments by assessing natural and heterogeneous communities. These resulting predictions will ultimately be helpful to understand macro-ecological processes and understanding the evolutionary pressures that shape interaction networks (Segar et al. 2020, Hall et al. 2020). The relationships between community composition, interaction types and the environment were tested predominantly in plant communities (Carrión et al. 2017, Zhang et al. 2017, Pashirzad et al. 2019) and are also coming to the foreground in research on soil bacteria (Stegen et al. 2012, Pérez-Valera et al. 2017). As these models improve, they need to be used to address such fundamental relationships between community interactions and the environment and can be used to synthesize the role of bacterial communities in whole-system interactions.

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

Moving to a multi-trophic framework remains a pressing challenge for many investigations of community or ecosystem structure (Seibold et al. 2018, Schleuning et al. 2020). Without a doubt, soil bacterial community structure and interactions have immense consequences for other organisms, whether below-ground as pathogens or mutualists in the rhizosphere (Schlatter et al. 2017), above-ground biomass of plants (Saleem et al. 2019) and indirect effects on nutrient cycling (Dubey et al. 2019). Bacterial communities may be shaped by the interactions of other microbial trophic levels through parasitism or grazing (Li et al. 2023), while bacterial communities themselves may facilitate plant germination in harsher environments (David et al. 2020). Indirect facilitative effects may arise through inter-trophic interactions and increase both bacterial diversity (Pradeep Ram et al. 2020), as well as that of their predators (Yang et al. 2018, Scheuerl et al. 2019) and plants (Liu et al. 2019) through evolutionary pressures. Plants might benefit from soil bacteria feedbacks under drought (Buchenau et al. 2022), while plant responses to environmental changes further drive bacterial community structure and thus potential interactions (Koyama et al. 2018). Plant-growth-promoting bacteria can mitigate the effects of environmental stress on plants (Yang et al. 2009), but this may also negatively affect resident communities when they favor establishment of invaders (Zhang et al. 2018). A large range of potential mechanisms for facilitation thus exists between these trophic levels, whether nutrient-, water-, immune-mediating- or micro-climate related. A better understanding of the role of interactions in structuring these soil communities can help elucidate ecologically important emergent properties of those systems, such as community functioning, stability, or resilience (van den Berg et al. 2022).

5 - Facilitation's effect on emergent properties

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

Mutualisms have long been suggested to be a driving force of ecosystem processes in soil communities (Wall and Moore 1999) and a growing field is studying the emergent properties of interaction networks in both experiments and theoretical models (van den Berg et al. 2022, Chang et al. 2023). Species diversity, specific ecosystem functions and overall system stability or resilience are all emergent properties influenced by species interactions. Stability and resilience are defined in many different ways, but broadly consider the ability of a system to remain in a certain state and the rate at which a system can return to this state following perturbations (van Meerbeek et al. 2021, but see Donohue 2016 for varying definitions). Interaction networks can be evaluated at the taxa level by the number of edges (inferred interactions), the proportions of different inferred edges (e.g. positive versus negative) and other parameters such as centrality or 'keystoneness' to determine the role of nodes inside a community (Berry and Widder 2014). At the system level, modularity or connectivity may provide hints about a system's emergent properties, such as stability or resilience (de Vries et al. 2018). Studying how network properties vary under environmental changes allows researchers to assess the vulnerability of soil systems to global change in terms of their functioning, diversity, and resilience.

369

370

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

388

389

390

Productivity may directly be enhanced by facilitative interactions in bacterial communities (Fiegna et al. 2015). Network approaches have identified that cross-feeding interactions may be dominant drivers of bacterial community structure (Germerodt et al. 2016, Hoek et al. 2016). Facilitative interactions in bacterial communities forming biofilms or biocrusts promote bacterial productivity both at the community and species level (Boles et al. 2004, Wu et al. 2019, Li et al. 2020). Horizontal gene transfer may directly increase some community functions by increasing nutrient cycling or stress response in whole communities (Song et al. 2021). In microcosm experiments, environmentally stressed bacterial communities may require higher diversity to perform similar functions (García et al. 2018). Warming may lead to direct losses productivity in microcosms (Bestion et al. 2020), but the interplay between environmental changes and species-specific interactions is often more complex (Bestion et al. 2018). Soil functions like nutrient cycling and plant growth promotion may benefit from network complexity, but decrease as networks are stressed by environmental pressures at higher elevations (Chen et al. 2022). Other environmental stressors such as land use may greatly impact the connectivity of bacterial networks and specifically impact important ecosystem functions such as carbon cycling (Xue et al. 2022). How the environment impacts ecosystem functions may be different for subsets of the community, e.g. bacteria within positive interaction networks and those outside (Yang et al. 2022). Different spatial scales also modulate the outcome of interactions between bacterial species, which may be intensely competitive at a very local scale but facilitate co-existence at the community level (Kuhn et al. 2022).

Facilitation has been found to be an important driver of biodiversity in plant communities (Navarro-Cano et al. 2021), promoting coexistence both mechanistically and evolutionarily (McIntire and Fajardo 2014). Facilitation in bacterial communities may directly increase species diversity by creating niche space for whole metabolic consortia (Pascual-García et al. 2020) or cheaters (Leinweber et al. 2017) and is often observed specifically in cases such as biofilm formation (Wu et al. 2019). Evidence for increased stability of more diverse bacterial communities may be found when considering their susceptibility to invasions in microcosms (Hodgson et al. 2002, Eisenhauer et al. 2012) and reductions of bacterial diversity can lead to a loss of stability in soil communities (Wagg et al. 2021). For instance, invasions of new bacterial groups can change community dynamics and alter community structure (Amor et al. 2020, Mawarda et al. 2020) – an effect to which less biodiverse systems are more susceptible (Xing et al. 2021). Interaction types themselves can influence stability, as stronger competition can decrease stability in bacterial communities (Ratzke et al. 2020). Positive interactions may destabilize bacterial systems by causing dependencies, whereas the negative feedback caused by competitive or exploitative interactions may have a stabilizing effect (Coyte et al. 2015). Theoretical models suggest higher diversity increases community fluctuations but can make facilitating communities more stable depending on the asymmetry and nestedness of their interaction networks - i.e. community structure (Thébault and Fontaine 2010), and experimental studies have confirmed that some of these predictions hold true in microcosms (Hu et al. 2022) and in nature (Liu et al. 2022). Positive correlations between bacterial diversity and ecosystem stability (García-García et al. 2019, Xu et al. 2021) and functions (Delgado-Baquerizo et al. 2017, Maron et al. 2018)

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

409

410

411

412

413

414

may be partially explained by interspecies facilitation leading to complementarity (Tilman et al. 2014). The balance of competitive to facilitative interactions is increasingly found to be an important driver of species coexistence and thus of the relationship between whole-community diversity and stability (Gjini and Madec 2021). Importantly, the broader biotic and abiotic environment is thought to drive the relationship between strength of facilitative networks and community stability (De Vries and Shade 2013) and this relationship is not stable under changing environments (Yuan et al. 2021), which makes understanding these relationships ever more relevant in the face of increasing challenges posed by climate change.

Climate resilience

The functional resilience of soil bacterial communities is driven by both the physicochemical environment and the resulting community structure (Griffiths et al. 2007). Keystone species within interaction networks can contribute significantly to the community's overall resilience to disturbances (Ma et al. 2020b). Predominant interaction types across a whole community may influence their resilience, such as a decreased impact of nutrient stress on highly facilitative communities (Machado et al. 2021). Conversely, highly competitive communities may be less resistant to environmental fluctuations (Ratzke et al. 2020). More phylogenetically and taxonomically diverse communities, implying more potential facilitative links, indeed show higher overall resilience to environmental stress in one study (Xun et al. 2021). Co-occurrence networks may be strengthened under drought stress and thus promote community resilience (Wu et al. 2019), but some bacterial communities show that highly connected co-occurrence networks can break down under drought stress (de Vries et al. 2018). Overall,

experimental evidence for the relationship between community interaction types and resilience is rare (Philippot et al. 2021), and increased theoretical modelling efforts may provide better answers (van den Berg et al. 2022). Increased diversity due to facilitation promoting coexistence may have beneficial effects on bacterial community resilience (Yachi and Loreau 1999, Xu et al. 2021), but the direct relationship between bacterial facilitation and resilience in the face of climate change is generally poorly understood (Bardgett and Caruso 2020). Environmental changes can further lead to indirect changes in interaction networks, by influencing other groups such as invasive bacteria (Xing et al. 2021) or plants (Pérez Castro et al. 2019) – which may subsequently affect the resilience or other emergent properties of the community.

Resistance to invaders

The increased establishment of invasive species under global warming is a well-known driver of biodiversity loss (Pimentel et al. 2005). In the context of species' interaction networks, new players may drastically alter the existing dynamics of a community and the resulting resistance or resilience of an ecosystem – especially if their traits are different on average (van Kleunen et al. 2010). In soils, bacterial invasions are relatively understudied due to the enormous taxonomic challenges, but microcosm experiments may elucidate some of the general predictions. There is some evidence that highly facilitative communities can be more vulnerable to invaders (Li et al. 2018). Concurrently, higher resident diversity may limit invader success (van Elsas et al. 2012), and tightly interwoven facilitating communities show a higher degree of resistance to invaders (Qian and Akçay 2020, Kurkjian et al. 2021). Interactions with plants and other organisms may further influence the invasibility of bacterial soil communities (Fahey et al. 2020). The

relationship of facilitation to community invasion thus depends on a complex interplay between the resident community's existing niche partitions (Wei et al. 2015), environmental conditions (Yang et al. 2017) and species' specific or evolutionary effects (van der Putten et al. 2007, Jousset et al. 2013). The effect of facilitation on such emergent properties has remained a pressing unknown in facilitation research for the last two decades (Richardson et al. 2000, Stachowicz and Byrnes 2006, Li et al. 2018, Piccardi et al. 2022).

6 – Opportunities in bacterial facilitation research

The last decade has seen tremendous progress in the study of bacterial facilitation, from the first experimental evidence for the stress gradient hypothesis in artificial (Piccardi et al. 2019) and natural (Hernandez et al. 2021) settings, to the continuous development of co-occurrence and modeling-based methods (Kodera et al. 2022). The important impacts of environmental change on soil bacteria are now well established and the role of facilitation for soil community climate resilience and resistance remains an important area of future research (Naylor et al. 2020). Both the determinants (Dai et al. 2022) and outcomes (Ratzke et al. 2020) of such emergent properties are increasingly well understood and applied in soil research (Xiang et al. 2023). However, how these emergent properties and complex dynamics emerge from interactions in bacterial communities remains a topic of interest and soil systems are perfectly poised to reveal these associations (Segrè et al. 2023).

Microcosm studies have allowed for the study of drivers of selection in shaping community interaction types (Martin et al. 2016, Kayser et al. 2018) and have immense

promise to be engineered in a variety of experimental settings, which can help elucidate ecologically meaningful patterns (Friedman et al. 2017, McCarty and Ledesma-Amaro 2019). They can also be used to create analogs of natural systems to distinguish interactions between all the different players in a bacterial community and investigate emergent properties in controlled settings (Antoniewicz 2020). Pairwise experiments tracking population growth rates can generate hypotheses and ultimately bring to light the mechanisms by which species might interact (Löder et al. 2014), especially across temporal and environmental variation (Coenen et al. 2020). In nature, modern sequencing technologies make it possible to track both population structure and genetic diversity underlying species interactions on a very fine temporal and spatial scale (Sher et al. 2011, Rodríguez-Verdugo and Ackermann 2021). These experiments can also be especially useful to infer the natural parameters used in constructing models of these populations in artificial space (Boza et al. 2023), while the detailed community-level information can address questions about the effects of facilitation on community assembly or structure (Lin et al. 2018). However, to be useful for predicting the relationship between the environment and species interactions such experiments need to take the complexity of natural systems into account, including accounting for spatial and temporal heterogeneity of communities and the more complex context of field studies (Chamberlain et al. 2014, Xiang et al. 2023). The field is currently perfectly poised to combine both approaches to investigate real-world interaction shifts, based on ground-truthed experimental evidence from microcosms (Gralka et al. 2023).

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

498

499

500

501

502

503

504

505

To enable the conceptual understanding of bacterial interaction networks in natural systems, we hope that future research will focus on generating findable, accessible,

interoperable, and reusable genetic datasets from culture-based and real-world studies (FAIR, Pacheco et al. 2022). FAIR data will allow microbial ecologists to address ecological hypotheses, including ones related to the prevalence and importance of facilitative interactions, and their role in dealing with challenges posed by global change. Meanwhile, we should not lose sight of the underlying mechanisms that allow bacterial facilitation in a variety of settings, and take great care to study these in detail, both in field and laboratory settings. The genetic pathways underlying cross-feeding (D'Souza et al. 2018), immune-mediating (Zélé et al. 2018), or environmental modulation interactions (Madsen et al. 2016) are increasingly mapped to enable the investigation of multiple functions in natural communities (Sun et al. 2022, Wang et al. 2023). Understanding how these interactions influence eventual ecosystem functions remains the challenging task for this field moving forward (Delgado-Baquerizo et al. 2020).

By testing ecological predictions (Houlahan et al. 2017) and utilizing the combined methods proposed in this article, we hypothesize that ecosystem functions in soils will be shown to depend on facilitative processes as much as the intensively studied nurse plants – beneficiary systems (Brooker et al. 2008) or the intertidal communities of Bertness (1989). In fact, soil bacteria might be underlying much of the ecology traditionally ascribed to interspecific plant facilitation (Rodríguez-Echeverría et al. 2016), and the role of soil bacteria in ecosystem responses to climate change, including resilience and resistance, will undoubtedly prove crucial in mitigating the climate impacts on ecosystems worldwide (Certini and Scalenghe 2023). Describing and understanding the links between bacterial interactions on the one hand and ecosystem functioning and vulnerability on the other

hand will prove to be crucial, particularly in the face of the considerable challenges posed to soil biodiversity by global change (Leal Filho et al. 2023).

Significance statement:

528

529

530

531

532

533

534

535

536

537

538

539

540

541

542

543

544

545

546

547

548

549

550

The Oikos special issue "The role of plant facilitation in mediating climate change impact on biodiversity" aims to synthesize the role of plant facilitation on biodiversity in the face of environmental changes. Soil bacteria are of immediate importance to this conversation as their facilitative links underlie function in soil ecosystems that are crucial for plants and other biota, yet are often left out of the discussion altogether. There exists no comprehensive review of the role, structure, and importance of facilitation in bacterial communities in natural soils, and the different fields that do research bacterial facilitation often fall short in investigating those as part of a comprehensive ecological framework. Here, we illustrate that facilitation in soil bacteria is ubiquitous and plays an important role in maintaining diversity, function, and resilience. We provide a synthesis of methodological avenues to improve inference of facilitation in natural soil communities and present an ecological framework to investigate these interactions in regard to global change. We believe that this forum article will help researchers on plant facilitation see their findings in a broader ecological context, help microbial ecologists synthesize their research aims within a broader ecological framework, and will be informative for anyone working in ecology generally to understand the importance of facilitation in bacterial communities and their potential in future study.

Data archiving statement:

No data were used for this paper.

Conflict of interest statement:

The authors declare no conflicts of interest.

552 References

- Abdul Rahman, N. S. N., N. W. Abdul Hamid, and K. Nadarajah. 2021. Effects of Abiotic Stress on
- 554 Soil Microbiome. International Journal of Molecular Sciences 22:9036.
- Adams, A. E., E. M. Besozzi, G. Shahrokhi, and M. A. Patten. 2021. A case for associational
- resistance: Apparent support for the stress gradient hypothesis varies with study system. Ecology
- 557 Letters 25:202-217.
- Alneberg, J., C. Bennke, S. Beier, C. Bunse, C. Quince, K. Ininbergs, L. Riemann, M. Ekman, K.
- Jürgens, M. Labrenz, J. Pinhassi, and A. F. Andersson. 2020. Ecosystem-wide metagenomic binning
- enables prediction of ecological niches from genomes. Communications Biology 3:1–10.
- Amor, D. R., C. Ratzke, and J. Gore. 2020. Transient invaders can induce shifts between alternative
- stable states of microbial communities. Science Advances 6:eaay8676.
- Antoniewicz, M. R. 2020. A guide to deciphering microbial interactions and metabolic fluxes in
- microbiome communities. Current Opinion in Biotechnology 64:230–237.
- 565 Astudillo-García, C., S. M. Hermans, B. Stevenson, H. L. Buckley, and G. Lear. 2019. Microbial
- 566 assemblages and bioindicators as proxies for ecosystem health status: potential and limitations.
- Applied Microbiology and Biotechnology 103:6407–6421.
- Bairey, E., E. D. Kelsic, and R. Kishony. 2016. High-order species interactions shape ecosystem
- 569 diversity. Nature Communications 7:12285.
- 570 Bardgett, R. D., and T. Caruso. 2020. Soil microbial community responses to climate extremes:
- 571 resistance, resilience and transitions to alternative states. Philosophical Transactions of the Royal
- 572 Society B: Biological Sciences 375:20190112.
- 573 Barner, A. K., K. E. Coblentz, S. D. Hacker, and B. A. Menge. 2018. Fundamental contradictions
- among observational and experimental estimates of non-trophic species interactions. Ecology
- 575 99:557-566.
- van den Berg, N. I., D. Machado, S. Santos, I. Rocha, J. Chacón, W. Harcombe, S. Mitri, and K. R.
- 577 Patil. 2022. Ecological modelling approaches for predicting emergent properties in microbial
- 578 communities. Nature Ecology & Evolution 6:855–865.
- Berry, D., and S. Widder. 2014. Deciphering microbial interactions and detecting keystone species
- with co-occurrence networks. Frontiers in Microbiology 5.
- Bertness, M. D. 1989. Intraspecific Competition and Facilitation in a Northern Acorn Barnacle
- 582 Population. Ecology 70:257–268.
- 583 Bertness, M. D., and R. Callaway. 1994. Positive interactions in communities. Trends in Ecology &
- 584 Evolution 9:191–193.
- Bestion, E., S. Barton, F. C. García, R. Warfield, and G. Yvon-Durocher. 2020. Abrupt declines in
- 586 marine phytoplankton production driven by warming and biodiversity loss in a microcosm
- 587 experiment. Ecology Letters 23:457–466.

- 588 Bestion, E., B. García-Carreras, C.-E. Schaum, S. Pawar, and G. Yvon-Durocher. 2018. Metabolic
- traits predict the effects of warming on phytoplankton competition. Ecology Letters 21:655–664.
- 590 Blanchet, F. G., K. Cazelles, and D. Gravel. 2020. Co-occurrence is not evidence of ecological
- interactions. Ecology Letters 23:1050–1063.
- 592 Boles, B. R., M. Thoendel, and P. K. Singh. 2004. Self-generated diversity produces "insurance
- 593 effects" in biofilm communities. Proceedings of the National Academy of Sciences 101:16630-
- 594 16635.
- 595 Boza, G., G. Barabás, I. Scheuring, and I. Zachar. 2023. Eco-evolutionary modelling of microbial
- 596 syntrophy indicates the robustness of cross-feeding over cross-facilitation. Scientific Reports
- 597 13:907.
- 598 Bronstein, J. L. 2009. The evolution of facilitation and mutualism. Journal of Ecology 97:1160–1170.
- Brooker, R. W., F. T. Maestre, R. M. Callaway, C. L. Lortie, L. A. Cavieres, G. Kunstler, P. Liancourt, K.
- 600 Tielbörger, J. M. J. Travis, F. Anthelme, C. Armas, L. Coll, E. Corcket, S. Delzon, E. Forey, Z. Kikvidze, J.
- Olofsson, F. Pugnaire, C. L. Quiroz, P. Saccone, K. Schiffers, M. Seifan, B. Touzard, and R. Michalet.
- 602 2008. Facilitation in plant communities: the past, the present, and the future. Journal of Ecology
- 603 96:18–34.
- Buchenau, N., M. van Kleunen, and R. A. Wilschut. 2022. Direct and legacy-mediated drought
- effects on plant performance are species-specific and depend on soil community composition.
- 606 Oikos 2022:e08959.
- 607 Carrión, J. F., Gastauer, M, Mota, N M, and Meira-Neto J A A. 2017. Facilitation as a driver of plant
- 608 assemblages in Caatinga. Journal of Arid Environments 142:50–58.
- 609 Certini, G., and R. Scalenghe. 2023. The crucial interactions between climate and soil. Science of
- 610 The Total Environment 856:159169.
- 611 Chamberlain, S. A., J. L. Bronstein, and J. A. Rudgers. 2014. How context dependent are species
- 612 interactions? Ecology Letters 17:881–890.
- 613 Chang, C.-Y., D. Bajić, J. C. C. Vila, S. Estrela, and A. Sanchez. 2023. Emergent coexistence in
- 614 multispecies microbial communities. Science 381:343–348.
- 615 Chao, Y., W. Liu, Y. Chen, W. Chen, L. Zhao, Q. Ding, S. Wang, Y.-T. Tang, T. Zhang, and R.-L. Qiu.
- 616 2016. Structure, Variation, and Co-occurrence of Soil Microbial Communities in Abandoned Sites
- of a Rare Earth Elements Mine. Environmental Science & Technology 50:11481–11490.
- 618 Chaparro, J. M., A. M. Sheflin, D. K. Manter, and J. M. Vivanco. 2012. Manipulating the soil
- 619 microbiome to increase soil health and plant fertility. Biology and Fertility of Soils 48:489–499.
- 620 Chen, W., J. Wang, X. Chen, Z. Meng, R. Xu, D. Duoji, J. Zhang, J. He, Z. Wang, J. Chen, K. Liu, T. Hu,
- and Y. Zhang. 2022. Soil microbial network complexity predicts ecosystem function along elevation
- gradients on the Tibetan Plateau. Soil Biology and Biochemistry 172:108766.
- 623 Coenen, A. R., S. K. Hu, E. Luo, D. Muratore, and J. S. Weitz. 2020. A Primer for Microbiome Time-
- Series Analysis. Frontiers in Genetics 11.

- 625 Contreras-Moreno, F. J., J. Pérez, J. Muñoz-Dorado, A. Moraleda-Muñoz, and F. J. Marcos-Torres.
- 626 2024. Myxococcus xanthus predation: an updated overview. Frontiers in Microbiology 15:1339696.
- 627 Cordero, O. X., L.-A. Ventouras, E. F. DeLong, and M. F. Polz. 2012. Public good dynamics drive
- 628 evolution of iron acquisition strategies in natural bacterioplankton populations. Proceedings of the
- National Academy of Sciences 109:20059–20064.
- 630 Córdova-Alcántara, I. M., D. L. Venegas-Cortés, M. Á. Martínez-Rivera, N. O. Pérez, and A. V.
- 631 Rodriguez-Tovar. 2019. Biofilm characterization of Fusarium solani keratitis isolate: increased
- resistance to antifungals and UV light. Journal of Microbiology 57:485–497.
- 633 Costa, E., J. Pérez, and J.-U. Kreft. 2006. Why is metabolic labour divided in nitrification? Trends in
- 634 Microbiology 14:213–219.
- 635 Coyte, K. Z., J. Schluter, and K. R. Foster. 2015. The ecology of the microbiome: Networks,
- 636 competition, and stability. Science 350:663–666.
- 637 Dai, T., D. Wen, C. T. Bates, L. Wu, X. Guo, S. Liu, Y. Su, J. Lei, J. Zhou, and Y. Yang. 2022. Nutrient
- 638 supply controls the linkage between species abundance and ecological interactions in marine
- 639 bacterial communities. Nature Communications 13:175.
- 640 D'Amen, M., H. K. Mod, N. J. Gotelli, and A. Guisan. 2018. Disentangling biotic interactions,
- environmental filters, and dispersal limitation as drivers of species co-occurrence. Ecography
- 642 41:1233–1244.
- Davey, M. E., and G. A. O'toole. 2000. Microbial Biofilms: from Ecology to Molecular Genetics.
- 644 Microbiology and Molecular Biology Reviews 64:847–867.
- David, A. S., K. B. Thapa-Magar, E. S. Menges, C. A. Searcy, and M. E. Afkhami. 2020. Do plant-
- microbe interactions support the Stress Gradient Hypothesis? Ecology 101:e03081.
- De Vries, F., and A. Shade. 2013. Controls on soil microbial community stability under climate
- 648 change. Frontiers in Microbiology 4.
- Delgado-Baquerizo, M., D. J. Eldridge, V. Ochoa, B. Gozalo, B. K. Singh, and F. T. Maestre. 2017. Soil
- 650 microbial communities drive the resistance of ecosystem multifunctionality to global change in
- drylands across the globe. Ecology Letters 20:1295–1305.
- Delgado-Baquerizo, M., P. B. Reich, C. Trivedi, D. J. Eldridge, S. Abades, F. D. Alfaro, F. Bastida, A. A.
- 653 Berhe, N. A. Cutler, A. Gallardo, L. García-Velázquez, S. C. Hart, P. E. Hayes, J.-Z. He, Z.-Y. Hseu, H.-
- W. Hu, M. Kirchmair, S. Neuhauser, C. A. Pérez, S. C. Reed, F. Santos, B. W. Sullivan, P. Trivedi, J.-T.
- 655 Wang, L. Weber-Grullon, M. A. Williams, and B. K. Singh. 2020. Multiple elements of soil biodiversity
- drive ecosystem functions across biomes. Nature Ecology & Evolution 4:210–220.
- Domeignoz-Horta, L. A., G. Pold, X.-J. A. Liu, S. D. Frey, J. M. Melillo, and K. M. DeAngelis. 2020.
- 658 Microbial diversity drives carbon use efficiency in a model soil. Nature Communications 11:3684.
- Donohue, I., H. Hillebrand, J. M. Montoya, O. L. Petchey, S. L. Pimm, M. S. Fowler, K. Healy, A. L.
- 660 Jackson, M. Lurgi, D. McClean, N. E. O'Connor, E. J. O'Gorman, and Q. Yang. 2016. Navigating the
- complexity of ecological stability. Ecology Letters 19:1172–1185.

- 662 Drew, G. C., E. J. Stevens, and K. C. King. 2021. Microbial evolution and transitions along the
- parasite-mutualist continuum. Nature Reviews Microbiology 19:623-638.
- D'Souza, G., S. Shitut, D. Preussger, G. Yousif, S. Waschina, and C. Kost. 2018. Ecology and
- 665 evolution of metabolic cross-feeding interactions in bacteria. Natural Product Reports 35:455–488.
- Dubey, A., M. A. Malla, F. Khan, K. Chowdhary, S. Yadav, A. Kumar, S. Sharma, P. K. Khare, and M. L.
- Khan. 2019. Soil microbiome: a key player for conservation of soil health under changing climate.
- Biodiversity and Conservation 28:2405–2429.
- 669 Eisenhauer, N., S. Scheu, and A. Jousset. 2012. Bacterial Diversity Stabilizes Community
- 670 Productivity. PLOS ONE 7:e34517.
- van Elsas, J. D., M. Chiurazzi, C. A. Mallon, D. Elhottovā, V. Krištůfek, and J. F. Salles. 2012. Microbial
- diversity determines the invasion of soil by a bacterial pathogen. Proceedings of the National
- 673 Academy of Sciences 109:1159–1164.
- 674 Fahey, C., A. Koyama, P. M. Antunes, K. Dunfield, and S. L. Flory. 2020. Plant communities mediate
- the interactive effects of invasion and drought on soil microbial communities. The ISME Journal
- 676 14:1396–1409.
- 677 Falkowski, P. G., T. Fenchel, and E. F. Delong. 2008. The Microbial Engines That Drive Earth's
- 678 Biogeochemical Cycles. Science 320:1034–1039.
- 679 Feng, J., H. Ma, C. Wang, J. Gao, C. Zhai, L. Jiang, and S. Wan. 2024. Water rather than nitrogen
- availability predominantly modulates soil microbial beta-diversity and co-occurrence networks in a
- secondary forest. Science of The Total Environment 907:167996.
- 682 Ferrier, M., J. L. Martin, and J. N. Rooney-Varga. 2002. Stimulation of Alexandrium fundyense growth
- by bacterial assemblages from the Bay of Fundy. Journal of Applied Microbiology 92:706–716.
- Fiegna, F., A. Moreno-Letelier, T. Bell, and T. G. Barraclough. 2015. Evolution of species interactions
- determines microbial community productivity in new environments. The ISME Journal 9:1235–1245.
- 686 Fierer, N., and R. B. Jackson. 2006. The diversity and biogeography of soil bacterial communities.
- Proceedings of the National Academy of Sciences 103:626–631.
- 688 Finlay, B. J. 2002. Global Dispersal of Free-Living Microbial Eukaryote Species. Science 296:1061–
- 689 1063.
- 690 Finlay, B. J., S. C. Maberly, and J. I. Cooper. 1997. Microbial Diversity and Ecosystem Function. Oikos
- 691 80:209-213.
- 692 Flemming, H.-C., and J. Wingender. 2010. The biofilm matrix. Nature Reviews Microbiology 8:623-
- 693 633.
- Freilich, M. A., E. Wieters, B. R. Broitman, P. A. Marquet, and S. A. Navarrete. 2018. Species co-
- occurrence networks: Can they reveal trophic and non-trophic interactions in ecological
- 696 communities? Ecology 99:690-699.

- 697 Friedman, J., L. M. Higgins, and J. Gore. 2017. Community structure follows simple assembly rules
- 698 in microbial microcosms. Nature Ecology & Evolution 1:1–7.
- 699 Gallien, L., D. Zurell, and N. E. Zimmermann. 2018. Frequency and intensity of facilitation reveal
- opposing patterns along a stress gradient. Ecology and Evolution 8:2171–2181.
- Gao, C., L. Xu, L. Montoya, M. Madera, J. Hollingsworth, L. Chen, E. Purdom, V. Singan, J. Vogel, R. B.
- 702 Hutmacher, J. A. Dahlberg, D. Coleman-Derr, P. G. Lemaux, and J. W. Taylor. 2022. Co-occurrence
- 703 networks reveal more complexity than community composition in resistance and resilience of
- 704 microbial communities. Nature Communications 13:3867.
- García, F. C., E. Bestion, R. Warfield, and G. Yvon-Durocher. 2018. Changes in temperature alter the
- 706 relationship between biodiversity and ecosystem functioning. Proceedings of the National
- 707 Academy of Sciences 115:10989-10994.
- 708 García-García, N., J. Tamames, A. M. Linz, C. Pedrós-Alió, and F. Puente-Sánchez. 2019.
- 709 Microdiversity ensures the maintenance of functional microbial communities under changing
- 710 environmental conditions. The ISME Journal 13:2969–2983.
- 711 Geiman, Q. M. 1964. Comparative Physiology: Mutualism, Symbiosis, and Parasitism. Annual
- 712 Review of Physiology 26:75–108.
- 713 Germerodt, S., K. Bohl, A. Lück, S. Pande, A. Schröter, C. Kaleta, S. Schuster, and C. Kost. 2016.
- 714 Pervasive Selection for Cooperative Cross-Feeding in Bacterial Communities. PLOS Computational
- 715 Biology 12:e1004986.
- 716 Ghoul, M., and S. Mitri. 2016. The Ecology and Evolution of Microbial Competition. Trends in
- 717 Microbiology 24:833–845.
- 718 Giaouris, E., E. Heir, M. Desvaux, M. Hébraud, T. Møretrø, S. Langsrud, A. Doulgeraki, G.-J. Nychas,
- 719 M. Kačániová, K. Czaczyk, H. Ölmez, and M. Simões. 2015. Intra- and inter-species interactions
- 720 within biofilms of important foodborne bacterial pathogens. Frontiers in Microbiology 6.
- 721 Gjini, E., and S. Madec. 2021. The ratio of single to co-colonization is key to complexity in
- 722 interacting systems with multiple strains. Ecology and Evolution 11:8456–8474.
- 723 Goberna, M., A. Montesinos-Navarro, A. Valiente-Banuet, Y. Colin, A. Gómez-Fernández, S. Donat,
- J. A. Navarro-Cano, and M. Verdú. 2019. Incorporating phylogenetic metrics to microbial co-
- occurrence networks based on amplicon sequences to discern community assembly processes.
- 726 Molecular Ecology Resources 19:1552–1564.
- 727 Goberna, M., J. A. Navarro-Cano, A. Valiente-Banuet, C. García, and M. Verdú. 2014. Abiotic stress
- 728 tolerance and competition-related traits underlie phylogenetic clustering in soil bacterial
- 729 communities. Ecology Letters 17:1191–1201.
- 730 Goberna, M., and M. Verdú. 2016. Predicting microbial traits with phylogenies. The ISME Journal
- 731 10:959–967.
- 732 Goberna, M., and M. Verdú. 2022. Cautionary notes on the use of co-occurrence networks in soil
- 733 ecology. Soil Biology and Biochemistry 166:108534.

- de Graaff, M.-A., J. Adkins, P. Kardol, and H. L. Throop. 2015. A meta-analysis of soil biodiversity
- impacts on the carbon cycle. SOIL 1:257–271.
- Gralka, M., S. Pollak, and O. X. Cordero. 2023. Genome content predicts the carbon catabolic
- 737 preferences of heterotrophic bacteria. Nature Microbiology 8:1799–1808.
- 738 Griffin, A. S., S. A. West, and A. Buckling. 2004. Cooperation and competition in pathogenic
- 739 bacteria. Nature 430:1024-1027.
- 740 Griffiths, B. S., P. D. Hallett, H. L. Kuan, A. S. Gregory, C. W. Watts, and A. P. Whitmore. 2007.
- 741 Functional resilience of soil microbial communities depends on both soil structure and microbial
- 742 community composition. Biology and Fertility of Soils 44:745–754.
- Guignabert, A., L. Augusto, M. Gonzalez, C. Chipeaux, and F. Delerue. 2020. Complex biotic
- 744 interactions mediated by shrubs: Revisiting the stress-gradient hypothesis and consequences for
- 745 tree seedling survival. Journal of Applied Ecology 57:1341–1350.
- Hall, A. R., B. Ashby, J. Bascompte, and K. C. King. 2020. Measuring Coevolutionary Dynamics in
- 747 Species-Rich Communities. Trends in Ecology & Evolution 35:539–550.
- 748 Hammarlund, S. P., and W. R. Harcombe. 2019. Refining the stress gradient hypothesis in a
- 749 microbial community. Proceedings of the National Academy of Sciences of the United States of
- 750 America 116:15760-15762.
- Hardin, G. 1944. Symbiosis of Paramecium and Oikomonas. Ecology 25:304–311.
- 752 Hayat, R., S. Ali, U. Amara, R. Khalid, and I. Ahmed. 2010. Soil beneficial bacteria and their role in
- 753 plant growth promotion: a review. Annals of Microbiology 60:579–598.
- 754 Hernandez, D. J., A. S. David, E. S. Menges, C. A. Searcy, and M. E. Afkhami. 2021. Environmental
- 755 stress destabilizes microbial networks. The ISME Journal 15:1722–1734.
- Hesse, E., S. O'Brien, A. M. Luján, D. Sanders, F. Bayer, E. M. van Veen, D. J. Hodgson, and A.
- 757 Buckling. 2021. Stress causes interspecific facilitation within a compost community. Ecology
- 758 Letters 24:2169-2177.
- 759 Hesse, E., S. O'Brien, N. Tromas, F. Bayer, A. M. Luján, E. M. van Veen, D. J. Hodgson, and A.
- 760 Buckling. 2018. Ecological selection of siderophore-producing microbial taxa in response to heavy
- 761 metal contamination. Ecology Letters 21:117–127.
- 762 Hibbing, M. E., C. Fuqua, M. R. Parsek, and S. B. Peterson. 2010. Bacterial competition: surviving
- and thriving in the microbial jungle. Nature Reviews Microbiology 8:15–25.
- Hodgson, D. J., P. B. Rainey, and A. Buckling. 2002. Mechanisms linking diversity, productivity and
- invasibility in experimental bacterial communities. Proceedings of the Royal Society of London.
- 766 Series B: Biological Sciences 269:2277–2283.
- Hoek, T. A., K. Axelrod, T. Biancalani, E. A. Yurtsev, J. Liu, and J. Gore. 2016. Resource Availability
- 768 Modulates the Cooperative and Competitive Nature of a Microbial Cross-Feeding Mutualism. PLOS
- 769 Biology 14:e1002540.

- 770 Holling, C. S. 1973. Resilience and Stability of Ecological Systems. Annual Review of Ecology and
- 771 Systematics 4:1–23.
- Horner-Devine, M. C., K. M. Carney, and B. J. M. Bohannan. 2004. An ecological perspective on
- 773 bacterial biodiversity. Proceedings of the Royal Society of London. Series B: Biological Sciences
- 774 271:113–122.
- Houlahan, J. E., S. T. McKinney, T. M. Anderson, and B. J. McGill. 2017. The priority of prediction in
- 776 ecological understanding. Oikos 126:1–7.
- Hu, J., D. R. Amor, M. Barbier, G. Bunin, and J. Gore. 2022. Emergent phases of ecological diversity
- and dynamics mapped in microcosms. Science 378:85–89.
- Huang, R., M. Li, and R. L. Gregory. 2011. Bacterial interactions in dental biofilm. Virulence 2:435–
- 780 444.
- Hugenholtz, P., B. M. Goebel, and N. R. Pace. 1998. Impact of Culture-Independent Studies on the
- 782 Emerging Phylogenetic View of Bacterial Diversity. Journal of Bacteriology 180:4765–4774.
- 783 Jansson, J. K., and K. S. Hofmockel. 2020. Soil microbiomes and climate change. Nature Reviews
- 784 Microbiology 18:35–46.
- Jousset, A., N. Eisenhauer, E. Materne, and S. Scheu. 2013. Evolutionary history predicts the
- 786 stability of cooperation in microbial communities. Nature Communications 4:2573.
- 787 Justice, S. S., D. A. Hunstad, L. Cegelski, and S. J. Hultgren. 2008. Morphological plasticity as a
- 788 bacterial survival strategy. Nature Reviews Microbiology 6:162–168.
- 789 Kaeberlein, T., K. Lewis, and S. S. Epstein. 2002. Isolating "Uncultivable" Microorganisms in Pure
- 790 Culture in a Simulated Natural Environment. Science 296:1127–1129.
- 791 Kaplan, J. B., and D. H. Fine. 2002. Biofilm Dispersal of Neisseria subflava and Other
- 792 Phylogenetically Diverse Oral Bacteria. Applied and Environmental Microbiology 68:4943–4950.
- 793 Kayser, J., C. F. Schreck, Q. Yu, M. Gralka, and O. Hallatschek. 2018. Emergence of evolutionary
- 794 driving forces in pattern-forming microbial populations. Philosophical Transactions of the Royal
- 795 Society B: Biological Sciences 373:20170106.
- 796 Kéfi, S., V. Miele, E. A. Wieters, S. A. Navarrete, and E. L. Berlow. 2016. How Structured Is the
- 797 Entangled Bank? The Surprisingly Simple Organization of Multiplex Ecological Networks Leads to
- 798 Increased Persistence and Resilience. PLOS Biology 14:e1002527.
- 799 Kehe, J., A. Ortiz, A. Kulesa, J. Gore, P. C. Blainey, and J. Friedman. 2021. Positive interactions are
- 800 common among culturable bacteria. Science Advances 7:eabi7159.
- van Kleunen, M., E. Weber, and M. Fischer. 2010. A meta-analysis of trait differences between
- invasive and non-invasive plant species. Ecology Letters 13:235–245.
- 803 Kodera, S. M., P. Das, J. A. Gilbert, and H. L. Lutz. 2022. Conceptual strategies for characterizing
- interactions in microbial communities. iScience 25:103775.

- 805 Kost, C., K. R. Patil, J. Friedman, S. L. Garcia, and M. Ralser. 2023. Metabolic exchanges are
- 806 ubiquitous in natural microbial communities. Nature Microbiology 8:2244–2252.
- 807 Koyama, A., J. M. Steinweg, M. L. Haddix, J. S. Dukes, and M. D. Wallenstein. 2018. Soil bacterial
- 808 community responses to altered precipitation and temperature regimes in an old field grassland are
- mediated by plants. FEMS Microbiology Ecology 94:fix156.
- 810 Kuhn, T., M. Mamin, S. Bindschedler, R. Bshary, A. Estoppey, D. Gonzalez, F. Palmieri, P. Junier, and
- 811 X.-Y. L. Richter. 2022. Spatial scales of competition and a growth–motility trade-off interact to
- determine bacterial coexistence. Royal Society Open Science 9:211592.
- 813 Kurkjian, H. M., M. J. Akbari, and B. Momeni. 2021. The impact of interactions on invasion and
- colonization resistance in microbial communities. PLOS Computational Biology 17:e1008643.
- 815 Lam, T. J., M. Stamboulian, W. Han, and Y. Ye. 2020. Pathway-based and phylogenetically adjusted
- quantification of metabolic interaction between microbial species. bioRxiv:2020.05.15.097725.
- 817 Lawrence, D., and T. G. Barraclough. 2015. Evolution of resource use along a gradient of stress
- leads to increased facilitation. Oikos 125:1284–1295.
- 819 Lawrence, D., F. Fiegna, V. Behrends, J. G. Bundy, A. B. Phillimore, T. Bell, and T. G. Barraclough.
- 2012. Species Interactions Alter Evolutionary Responses to a Novel Environment. PLoS Biology
- 821 10:e1001330.
- Leal Filho, W., G. J. Nagy, A. F. F. Setti, A. Sharifi, F. K. Donkor, K. Batista, and I. Djekic. 2023.
- 823 Handling the impacts of climate change on soil biodiversity. Science of The Total Environment
- 824 869:161671.
- 825 Lee, H. H., M. N. Molla, C. R. Cantor, and J. J. Collins. 2010. Bacterial charity work leads to
- 826 population-wide resistance. Nature 467:82–85.
- 827 Leinweber, A., R. Fredrik Inglis, and R. Kümmerli. 2017. Cheating fosters species co-existence in
- well-mixed bacterial communities. The ISME Journal 11:1179–1188.
- 829 Li, G., Y. Wang, H. Li, X. Zhang, and J. Gong. 2023. Quantifying relative contributions of biotic
- 830 interactions to bacterial diversity and community assembly by using community characteristics of
- microbial eukaryotes. Ecological Indicators 146:109841.
- Li, H., D. Huo, W. Wang, Y. Chen, X. Cheng, G. Yu, and R. Li. 2020. Multifunctionality of biocrusts is
- 833 positively predicted by network topologies consistent with interspecies facilitation. Molecular
- 834 Ecology 29:1560–1573.
- Li, M., Z. Wei, J. Wang, A. Jousset, V.-P. Friman, Y. Xu, Q. Shen, and T. Pommier. 2018. Facilitation
- promotes invasions in plant-associated microbial communities. Ecology Letters 22:149–158.
- 837 Li, X., D. Meng, J. Li, H. Yin, H. Liu, X. Liu, C. Cheng, Y. Xiao, Z. Liu, and M. Yan. 2017. Response of
- 838 soil microbial communities and microbial interactions to long-term heavy metal contamination.
- 839 Environmental Pollution 231:908–917.
- Liao, C., T. Wang, S. Maslov, and J. B. Xavier. 2020. Modeling microbial cross-feeding at intermediate
- scale portrays community dynamics and species coexistence. bioRxiv:2020.02.19.956383.

- Lin, X. B., T. Wang, P. Stothard, J. Corander, J. Wang, J. F. Baines, S. C. L. Knowles, L. Baltrūnaitė, G.
- Tasseva, R. Schmaltz, S. Tollenaar, L. A. Cody, T. Grenier, W. Wu, A. E. Ramer-Tait, and J. Walter.
- 2018. The evolution of ecological facilitation within mixed-species biofilms in the mouse
- gastrointestinal tract. The ISME Journal 12:2770–2784.
- Little, A. E. F., C. J. Robinson, S. B. Peterson, K. F. Raffa, and J. Handelsman. 2008. Rules of
- 847 Engagement: Interspecies Interactions that Regulate Microbial Communities. Annual Review of
- 848 Microbiology 62:375-401.
- Liu, H., C. A. Macdonald, J. Cook, I. C. Anderson, and B. K. Singh. 2019. An Ecological Loop: Host
- Microbiomes across Multitrophic Interactions. Trends in Ecology & Evolution 34:1118–1130.
- Liu, J., A. Prindle, J. Humphries, M. Gabalda-Sagarra, M. Asally, D. D. Lee, S. Ly, J. Garcia-Ojalvo, and
- 852 G. M. Süel. 2015. Metabolic co-dependence gives rise to collective oscillations within biofilms.
- 853 Nature 523:550–554.
- Liu, S., H. Yu, Y. Yu, J. Huang, Z. Zhou, J. Zeng, P. Chen, F. Xiao, Z. He, and Q. Yan. 2022. Ecological
- stability of microbial communities in Lake Donghu regulated by keystone taxa. Ecological Indicators
- 856 136:108695.
- 857 Löder, M. G. J., M. Boersma, A. C. Kraberg, N. Aberle, and K. H. Wiltshire. 2014. Microbial predators
- 858 promote their competitors: commensalism within an intra-guild predation system in
- microzooplankton. Ecosphere 5:art128.
- 860 Lozupone, C. A., and R. Knight. 2007. Global patterns in bacterial diversity. Proceedings of the
- National Academy of Sciences 104:11436–11440.
- 862 Ma, B., Y. Wang, S. Ye, S. Liu, E. Stirling, J. A. Gilbert, K. Faust, R. Knight, J. K. Jansson, C. Cardona, L.
- Röttjers, and J. Xu. 2020a. Earth microbial co-occurrence network reveals interconnection pattern
- 864 across microbiomes. Microbiome 8:82.
- 865 Ma, J., Y. Lu, F. Chen, X. Li, D. Xiao, and H. Wang. 2020b. Molecular Ecological Network Complexity
- 866 Drives Stand Resilience of Soil Bacteria to Mining Disturbances among Typical Damaged
- 867 Ecosystems in China. Microorganisms 8:433.
- Machado, D., O. M. Maistrenko, S. Andrejev, Y. Kim, P. Bork, K. R. Patil, and K. R. Patil. 2021.
- 869 Polarization of microbial communities between competitive and cooperative metabolism. Nature
- 870 Ecology & Evolution 5:195–203.
- 871 Madsen, J. S., H. L. Røder, J. Russel, H. Sørensen, M. Burmølle, and S. J. Sørensen. 2016.
- 872 Coexistence facilitates interspecific biofilm formation in complex microbial communities.
- 873 Environmental Microbiology 18:2565–2574.
- 874 Maestre, F. T., I. Martínez, C. Escolar, and A. Escudero. 2009. On the relationship between abiotic
- stress and co-occurrence patterns: an assessment at the community level using soil lichen
- 876 communities and multiple stress gradients. Oikos 118:1015–1022.
- 877 Mandakovic, D., C. Aguado-Norese, B. García-Jiménez, C. Hodar, J. E. Maldonado, A. Gaete, M.
- 878 Latorre, M. D. Wilkinson, R. A. Gutiérrez, L. A. Cavieres, J. Medina, V. Cambiazo, and M. Gonzalez.

- 879 2023. Testing the stress gradient hypothesis in soil bacterial communities associated with
- vegetation belts in the Andean Atacama Desert. Environmental Microbiome 18:24.
- Maron, P.-A., A. Sarr, A. Kaisermann, J. Lévêque, O. Mathieu, J. Guigue, B. Karimi, L. Bernard, S.
- 882 Dequiedt, S. Terrat, A. Chabbi, and L. Ranjard. 2018. High Microbial Diversity Promotes Soil
- 883 Ecosystem Functioning. Applied and Environmental Microbiology 84:e02738-17.
- Martin, M., T. Hölscher, A. Dragoš, V. S. Cooper, and Á. T. Kovács. 2016. Laboratory Evolution of
- 885 Microbial Interactions in Bacterial Biofilms. Journal of Bacteriology 198:2564–2571.
- 886 Martino, R. D., A. Picot, and S. Mitri. 2023, May 24. Oxidative stress changes interactions between
- two bacterial species. bioRxiv.
- Martiny, J. B. H., B. J. M. Bohannan, J. H. Brown, R. K. Colwell, J. A. Fuhrman, J. L. Green, M. C.
- Horner-Devine, M. Kane, J. A. Krumins, C. R. Kuske, P. J. Morin, S. Naeem, L. Øvreås, A.-L.
- 890 Reysenbach, V. H. Smith, and J. T. Staley. 2006. Microbial biogeography: putting microorganisms on
- the map. Nature Reviews Microbiology 4:102–112.
- Matchado, M. S., M. Lauber, S. Reitmeier, T. Kacprowski, J. Baumbach, D. Haller, and M. List. 2021.
- 893 Network analysis methods for studying microbial communities: A mini review. Computational and
- 894 Structural Biotechnology Journal 19:2687–2698.
- 895 Matz, C., and S. Kjelleberg. 2005. Off the hook how bacteria survive protozoan grazing. Trends in
- 896 Microbiology 13:302–307.
- 897 Mawarda, P. C., X. Le Roux, J. Dirk van Elsas, and J. F. Salles. 2020. Deliberate introduction of
- 898 invisible invaders: A critical appraisal of the impact of microbial inoculants on soil microbial
- 899 communities. Soil Biology and Biochemistry 148:107874.
- 900 McCarty, N. S., and R. Ledesma-Amaro. 2019. Synthetic Biology Tools to Engineer Microbial
- 901 Communities for Biotechnology. Trends in Biotechnology 37:181–197.
- 902 McIntire, E. J. B., and A. Fajardo. 2014. Facilitation as a ubiquitous driver of biodiversity. New
- 903 Phytologist 201:403-416.
- 904 Menéndez-Serra, M., V. J. Ontiveros, A. Barberán, and E. O. Casamayor. 2022. Absence of stress-
- 905 promoted facilitation coupled with a competition decrease in the microbiome of ephemeral saline
- 906 lakes. Ecology 103:e3834.
- 907 Metz, T., N. Blüthgen, and B. Drossel. 2023. Shifts from non-obligate generalists to obligate
- 908 specialists in simulations of mutualistic network assembly. Oikos n/a:e09697.
- 909 Meyer, K. M., H. Memiaghe, L. Korte, D. Kenfack, A. Alonso, and B. J. M. Bohannan. 2018. Why do
- 910 microbes exhibit weak biogeographic patterns? The ISME Journal 12:1404–1413.
- 911 Michalet, R., Y. L. Bagousse-Pinguet, J.-P. Maalouf, and C. J. Lortie. 2014. Two alternatives to the
- 912 stress-gradient hypothesis at the edge of life: the collapse of facilitation and the switch from
- 913 facilitation to competition. Journal of Vegetation Science 25:609–613.

- 914 Miele, V., C. Guill, R. Ramos-Jiliberto, and S. Kéfi. 2019. Non-trophic interactions strengthen the
- 915 diversity—functioning relationship in an ecological bioenergetic network model. PLOS
- 916 Computational Biology 15:e1007269.
- 917 Morris, B. E. L., R. Henneberger, H. Huber, and C. Moissl-Eichinger. 2013. Microbial syntrophy:
- 918 interaction for the common good. FEMS Microbiology Reviews 37:384–406.
- 919 Morris, J. J., R. Kirkegaard, M. J. Szul, Z. I. Johnson, and E. R. Zinser. 2008. Facilitation of Robust
- 920 Growth of Prochlorococcus Colonies and Dilute Liquid Cultures by "Helper" Heterotrophic
- 921 Bacteria. Applied and Environmental Microbiology 74:4530–4534.
- 922 Morueta-Holme, N., B. Blonder, B. Sandel, B. J. McGill, R. K. Peet, J. E. Ott, C. Violle, B. J. Enquist, P.
- 923 M. Jørgensen, and J.-C. Svenning. 2016. A network approach for inferring species associations from
- 924 co-occurrence data. Ecography 39:1139–1150.
- 925 Navarro-Cano, J. A., M. Goberna, and M. Verdú. 2021. Facilitation enhances ecosystem function
- 926 with non-random species gains. Oikos 130:2093–2099.
- 927 Naylor, D., N. Sadler, A. Bhattacharjee, E. B. Graham, C. R. Anderton, R. McClure, M. Lipton, K. S.
- 928 Hofmockel, and J. K. Jansson. 2020. Soil Microbiomes Under Climate Change and Implications for
- 929 Carbon Cycling. Annual Review of Environment and Resources 45:29–59.
- 930 Niehaus, L., I. Boland, M. Liu, K. Chen, D. Fu, C. Henckel, K. Chaung, S. E. Miranda, S. Dyckman, M.
- 931 Crum, S. Dedrick, W. Shou, and B. Momeni. 2019. Microbial coexistence through chemical-
- 932 mediated interactions. Nature Communications 10:2052.
- 933 O'Brien, S., A. M. Luján, S. Paterson, M. A. Cant, and A. Buckling. 2017. Adaptation to public goods
- cheats in Pseudomonas aeruginosa. Proceedings of the Royal Society B: Biological Sciences
- 935 284:20171089.
- 936 Oña, L., S. Giri, N. Avermann, M. Kreienbaum, K. M. Thormann, and C. Kost. 2021. Obligate cross-
- 937 feeding expands the metabolic niche of bacteria. Nature Ecology & Evolution 5:1224–1232.
- 938 Pacheco, A. R., M. Moel, and D. Segrè. 2019. Costless metabolic secretions as drivers of
- 939 interspecies interactions in microbial ecosystems. Nature Communications 10:103.
- 940 Pacheco, A. R., C. Pauvert, D. Kishore, and D. Segrè. 2022. Toward FAIR Representations of
- 941 Microbial Interactions. mSystems 7:e00659-22.
- 942 Palmer, J. D., and K. R. Foster. 2022. Bacterial species rarely work together. Science 376:581–582.
- Pascual-García, A., S. Bonhoeffer, and T. Bell. 2020. Metabolically cohesive microbial consortia and
- 944 ecosystem functioning. Philosophical Transactions of the Royal Society B: Biological Sciences
- 945 375:20190245.
- 946 Pashirzad, M., H. Ejtehadi, J. Vaezi, and R. P. Shefferson. 2019. Plant-plant interactions influence
- 947 phylogenetic diversity at multiple spatial scales in a semi-arid mountain rangeland. Oecologia
- 948 189:745–755.
- Paustian, K., J. Lehmann, S. Ogle, D. Reay, G. P. Robertson, and P. Smith. 2016. Climate-smart soils.
- 950 Nature 532:49–57.

- 951 Pekkonen, M., and J. T. Laakso. 2012. Temporal changes in species interactions in simple aquatic
- 952 bacterial communities. BMC Ecology 12:18.
- 953 Pérez Castro, S., E. E. Cleland, R. Wagner, R. A. Sawad, and D. A. Lipson. 2019. Soil microbial
- 954 responses to drought and exotic plants shift carbon metabolism. The ISME Journal 13:1776–1787.
- 955 Pérez-Valera, E., M. Goberna, K. Faust, J. Raes, C. García, and M. Verdú. 2017. Fire modifies the
- 956 phylogenetic structure of soil bacterial co-occurrence networks. Environmental Microbiology
- 957 19:317–327.
- 958 Philippot, L., B. S. Griffiths, and S. Langenheder. 2021. Microbial Community Resilience across
- 959 Ecosystems and Multiple Disturbances. Microbiology and Molecular Biology Reviews 85:e00026-
- 960 20.
- 961 Piccardi, P., G. Alberti, J. M. Alexander, and S. Mitri. 2022. Microbial invasion of a toxic medium is
- 962 facilitated by a resident community but inhibited as the community co-evolves. The ISME Journal
- 963 16:2644–2652.
- 964 Piccardi, P., B. Vessman, and S. Mitri. 2019. Toxicity drives facilitation between 4 bacterial species.
- 965 Proceedings of the National Academy of Sciences 116:15979–15984.
- 966 Pimentel, D., R. Zuniga, and D. Morrison. 2005. Update on the environmental and economic costs
- 967 associated with alien-invasive species in the United States. Ecological Economics 52:273–288.
- 968 Pradeep Ram, A. S., J. Keshri, and T. Sime-Ngando. 2020. Differential impact of top-down and
- 969 bottom-up forces in structuring freshwater bacterial communities. FEMS Microbiology Ecology
- 970 96:fiaa005.
- 971 Prashar, P., N. Kapoor, and S. Sachdeva. 2014. Rhizosphere: its structure, bacterial diversity and
- 972 significance. Reviews in Environmental Science and Bio/Technology 13:63–77.
- 973 Prosser, J. I., B. J. M. Bohannan, T. P. Curtis, R. J. Ellis, M. K. Firestone, R. P. Freckleton, J. L. Green, L.
- 974 E. Green, K. Killham, J. J. Lennon, A. M. Osborn, M. Solan, C. J. van der Gast, and J. P. W. Young.
- 975 2007. The role of ecological theory in microbial ecology. Nature Reviews Microbiology 5:384–392.
- 976 van der Putten, W. H., J. N. Klironomos, and D. A. Wardle. 2007. Microbial ecology of biological
- 977 invasions. The ISME Journal 1:28–37.
- 978 Qian, J. J., and E. Akçay. 2020. The balance of interaction types determines the assembly and
- 979 stability of ecological communities. Nature Ecology & Evolution 4:356–365.
- 980 Ramette, A., and J. M. Tiedje. 2007. Biogeography: An Emerging Cornerstone for Understanding
- 981 Prokaryotic Diversity, Ecology, and Evolution. Microbial Ecology 53:197–207.
- 982 Ratzke, C., J. Barrere, and J. Gore. 2020. Strength of species interactions determines biodiversity
- 983 and stability in microbial communities. Nature Ecology & Evolution 4:376–383.
- 984 Reichenbach, H. 1993. Myxobacteria II. Page (M. Dworkin and D. Kaiser, Eds.). Am. Soc. Microbiol.,
- 985 Washington, DC.

- 986 Richardson, D. M., N. Allsopp, C. M. D'antonio, S. J. Milton, and M. Rejmánek. 2000. Plant invasions
- 987 the role of mutualisms. Biological Reviews 75:65–93.
- 988 Riesenfeld, C. S., P. D. Schloss, and J. Handelsman. 2004. Metagenomics: Genomic Analysis of
- 989 Microbial Communities. Annual Review of Genetics 38:525–552.
- 990 Rodríguez-Echeverría, S., Y. M. Lozano, and R. D. Bardgett. 2016. Influence of soil microbiota in
- 991 nurse plant systems. Functional Ecology 30:30–40.
- 992 Rodríguez-Verdugo, A., and M. Ackermann. 2021. Rapid evolution destabilizes species interactions
- in a fluctuating environment. The ISME Journal 15:450–460.
- 994 Rosenzweig, R., U. Shavit, and A. Furman. 2012. Water Retention Curves of Biofilm-Affected Soils
- using Xanthan as an Analogue. Soil Science Society of America Journal 76:61–69.
- 996 Saiz, H., Y. L. Bagousse-Pinguet, N. Gross, and F. T. Maestre. 2019. Intransitivity increases plant
- 997 functional diversity by limiting dominance in drylands worldwide. Journal of Ecology 107:240–252.
- 998 Saleem, M., J. Hu, and A. Jousset. 2019. More Than the Sum of Its Parts: Microbiome Biodiversity as
- 999 a Driver of Plant Growth and Soil Health. Annual Review of Ecology, Evolution, and Systematics
- 1000 50:145–168.
- 1001 Schaedel, M., S. Ishii, H. Wang, R. Venterea, B. Paul, M. Mutimura, and J. Grossman. 2023. Temporal
- 1002 assessment of N-cycle microbial functions in a tropical agricultural soil using gene co-occurrence
- 1003 networks. PLOS ONE 18:e0281442.
- 1004 Scheuerl, T., J. Cairns, L. Becks, and T. Hiltunen. 2019. Predator coevolution and prey trait variability
- 1005 determine species coexistence. Proceedings of the Royal Society B: Biological Sciences
- 1006 286:20190245.
- 1007 Schlatter, D., L. Kinkel, L. Thomashow, D. Weller, and T. Paulitz. 2017. Disease Suppressive Soils:
- New Insights from the Soil Microbiome. Phytopathology® 107:1284–1297.
- 1009 Schleuning, M., E. L. Neuschulz, J. Albrecht, I. M. A. Bender, D. E. Bowler, D. M. Dehling, S. A. Fritz,
- 1010 C. Hof, T. Mueller, L. Nowak, M. C. Sorensen, K. Böhning-Gaese, and W. D. Kissling. 2020. Trait-
- 1011 Based Assessments of Climate-Change Impacts on Interacting Species. Trends in Ecology &
- 1012 Evolution 35:319-328.
- 1013 Segar, S. T., T. M. Fayle, D. S. Srivastava, T. M. Lewinsohn, O. T. Lewis, V. Novotny, R. L. Kitching, and
- 1014 S. C. Maunsell. 2020. The Role of Evolution in Shaping Ecological Networks. Trends in Ecology &
- 1015 Evolution 35:454–466.
- 1016 Segrè, D., S. Mitri, W. Shou, G. M. Süel, I. Mizrahi, L. Kelly, M. Rebolleda-Gómez, C. Ratzke, C. B.
- 1017 Ogbunugafor, J. A. Schwartzman, S. Kryazhimskiy, G. E. Leventhal, C. Kost, and T. Bell. 2023. What
- do you most want to understand about how collective features emerge in microbial communities?
- 1019 Cell Systems 14:91–97.
- Seibold, S., M. W. Cadotte, J. S. MacIvor, S. Thorn, and J. Müller. 2018. The Necessity of Multitrophic
- 1021 Approaches in Community Ecology. Trends in Ecology & Evolution 33:754–764.

- 1022 Sfenthourakis, S., E. Tzanatos, and S. Giokas. 2006. Species co-occurrence: the case of congeneric
- 1023 species and a causal approach to patterns of species association. Global Ecology and
- 1024 Biogeography 15:39–49.
- 1025 Sher, D., J. W. Thompson, N. Kashtan, L. Croal, and S. W. Chisholm. 2011. Response of
- 1026 Prochlorococcus ecotypes to co-culture with diverse marine bacteria. The ISME Journal 5:1125-
- 1027 1132.
- 1028 Silveira Martins, S. C., S. T. Santaella, C. M. Martins, and R. P. Martins. 2016. Facilitation as
- 1029 Attenuating of Environmental Stress among Structured Microbial Populations. The Scientific World
- 1030 Journal 2016:e5713939.
- 1031 Simonet, C., and L. McNally. 2021. Kin selection explains the evolution of cooperation in the gut
- microbiota. Proceedings of the National Academy of Sciences 118.
- 1033 Smit, C., M. Rietkerk, and M. J. Wassen. 2009. Inclusion of biotic stress (consumer pressure) alters
- 1034 predictions from the stress gradient hypothesis. Journal of Ecology 97:1215–1219.
- 1035 Solano, C., M. Echeverz, and I. Lasa. 2014. Biofilm dispersion and quorum sensing. Current Opinion
- 1036 in Microbiology 18:96–104.
- 1037 Soliveres, S., L. DeSoto, F. T. Maestre, and J. M. Olano. 2010. Spatio-temporal heterogeneity in
- 1038 abiotic factors modulate multiple ontogenetic shifts between competition and facilitation.
- 1039 Perspectives in Plant Ecology, Evolution and Systematics 12:227–234.
- 1040 Song, W., B. Wemheuer, P. D. Steinberg, E. M. Marzinelli, and T. Thomas. 2021. Contribution of
- horizontal gene transfer to the functionality of microbial biofilm on a macroalgae. The ISME Journal
- 1042 15:807–817.
- 1043 Stachowicz, J. J. 2001. Mutualism, Facilitation, and the Structure of Ecological
- 1044 CommunitiesPositive interactions play a critical, but underappreciated, role in ecological
- 1045 communities by reducing physical or biotic stresses in existing habitats and by creating new
- habitats on which many species depend. BioScience 51:235–246.
- 1047 Stachowicz, J. J., and J. E. Byrnes. 2006. Species diversity, invasion success, and ecosystem
- 1048 functioning: disentangling the influence of resource competition, facilitation, and extrinsic factors.
- 1049 Marine Ecology Progress Series 311:251–262.
- 1050 Steffan, S. A., Y. Chikaraishi, C. R. Currie, H. Horn, H. R. Gaines-Day, J. N. Pauli, J. E. Zalapa, and N.
- 1051 Ohkouchi. 2015. Microbes are trophic analogs of animals. Proceedings of the National Academy of
- 1052 Sciences 112:15119–15124.
- 1053 Stegen, J. C., X. Lin, A. E. Konopka, and J. K. Fredrickson. 2012. Stochastic and deterministic
- 1054 assembly processes in subsurface microbial communities. The ISME Journal 6:1653–1664.
- 1055 Sun, X., Z. Xu, J. Xie, V. Hesselberg-Thomsen, T. Tan, D. Zheng, M. L. Strube, A. Dragoš, Q. Shen, R.
- 1056 Zhang, and Á. T. Kovács. 2022. Bacillus velezensis stimulates resident rhizosphere Pseudomonas
- stutzeri for plant health through metabolic interactions. The ISME Journal 16:774–787.

- 1058 Takami, H., A. Inoue, F. Fuji, and K. Horikoshi. 1997. Microbial flora in the deepest sea mud of the
- 1059 Mariana Trench. FEMS Microbiology Letters 152:279–285.
- 1060 Tan, J., Z. Pu, W. A. Ryberg, and L. Jiang. 2012. Species phylogenetic relatedness, priority effects,
- and ecosystem functioning. Ecology 93:1164–1172.
- 1062 Thébault, E., and C. Fontaine. 2010. Stability of Ecological Communities and the Architecture of
- 1063 Mutualistic and Trophic Networks. Science 329:853–856.
- 1064 Thiery, S., and C. Kaimer. 2020. The Predation Strategy of Myxococcus xanthus. Frontiers in
- 1065 Microbiology 11.
- 1066 Thompson, L. R., J. G. Sanders, D. McDonald, A. Amir, J. Ladau, K. J. Locey, R. J. Prill, A. Tripathi, S.
- 1067 M. Gibbons, G. Ackermann, J. A. Navas-Molina, S. Janssen, E. Kopylova, Y. Vázquez-Baeza, A.
- 1068 González, J. T. Morton, S. Mirarab, Z. Zech Xu, L. Jiang, M. F. Haroon, J. Kanbar, Q. Zhu, S. Jin Song, T.
- 1069 Kosciolek, N. A. Bokulich, J. Lefler, C. J. Brislawn, G. Humphrey, S. M. Owens, J. Hampton-Marcell,
- 1070 D. Berg-Lyons, V. McKenzie, N. Fierer, J. A. Fuhrman, A. Clauset, R. L. Stevens, A. Shade, K. S.
- 1071 Pollard, K. D. Goodwin, J. K. Jansson, J. A. Gilbert, and R. Knight. 2017. A communal catalogue
- reveals Earth's multiscale microbial diversity. Nature 551:457–463.
- 1073 Thurman, L. L., A. K. Barner, T. S. Garcia, and T. Chestnut. 2019. Testing the link between species
- 1074 interactions and species co-occurrence in a trophic network. Ecography 42:1658–1670.
- 1075 Tilman, D., F. Isbell, and J. M. Cowles. 2014. Biodiversity and Ecosystem Functioning. Annual
- 1076 Review of Ecology, Evolution, and Systematics 45:471–493.
- 1077 Tumolo, B. B., L. Calle, H. E. Anderson, M. A. Briggs, S. Carlson, M. J. MacDonald, J. H. Reinert, and
- 1078 L. K. Albertson. 2020. Toward spatio-temporal delineation of positive interactions in ecology.
- 1079 Ecology and Evolution 10:9026–9036.
- 1080 Van Meerbeek, K., T. Jucker, and J.-C. Svenning. 2021. Unifying the concepts of stability and
- resilience in ecology. Journal of Ecology 109:3114–3132.
- 1082 Veech, J. A. 2013. A probabilistic model for analysing species co-occurrence. Global Ecology and
- 1083 Biogeography 22:252–260.
- 1084 Velez, P., L. Espinosa-Asuar, M. Figueroa, J. Gasca-Pineda, E. Aguirre-von-Wobeser, L. E. Eguiarte, A.
- 1085 Hernandez-Monroy, and V. Souza. 2018. Nutrient Dependent Cross-Kingdom Interactions: Fungi
- and Bacteria From an Oligotrophic Desert Oasis. Frontiers in Microbiology 9.
- 1087 Velicer, G. J. 2003. Social strife in the microbial world. Trends in Microbiology 11:330–337.
- 1088 Verwijmeren, M., M. Rietkerk, S. Bautista, A. G. Mayor, M. J. Wassen, and C. Smit. 2014. Drought and
- 1089 grazing combined: Contrasting shifts in plant interactions at species pair and community level.
- 1090 Journal of Arid Environments 111:53-60.
- de Vries, F. T., R. I. Griffiths, M. Bailey, H. Craig, M. Girlanda, H. S. Gweon, S. Hallin, A. Kaisermann,
- 1092 A. M. Keith, M. Kretzschmar, P. Lemanceau, E. Lumini, K. E. Mason, A. Oliver, N. Ostle, J. I. Prosser,
- 1093 C. Thion, B. Thomson, and R. D. Bardgett. 2018. Soil bacterial networks are less stable under
- drought than fungal networks. Nature Communications 9:3033.

- 1095 Wagg, C., Y. Hautier, S. Pellkofer, S. Banerjee, B. Schmid, and M. G. van der Heijden. 2021. Diversity
- 1096 and asynchrony in soil microbial communities stabilizes ecosystem functioning. eLife 10:e62813.
- 1097 Wagg, C., K. Schlaeppi, S. Banerjee, E. E. Kuramae, and M. G. A. van der Heijden. 2019. Fungal-
- 1098 bacterial diversity and microbiome complexity predict ecosystem functioning. Nature
- 1099 Communications 10:4841.
- 1100 Waite, A. J., and W. Shou. 2012. Adaptation to a new environment allows cooperators to purge
- 1101 cheaters stochastically. Proceedings of the National Academy of Sciences 109:19079–19086.
- 1102 Wall, D. H., and J. C. Moore. 1999. Interactions Underground: Soil biodiversity, mutualism, and
- 1103 ecosystem processes. BioScience 49:109–117.
- 1104 Wang, B., X. Wang, Z. Wang, K. Zhu, and W. Wu. 2023. Comparative metagenomic analysis reveals
- 1105 rhizosphere microbial community composition and functions help protect grapevines against salt
- 1106 stress. Frontiers in Microbiology 14.
- 1107 Wang, S., X. Wang, X. Han, and Y. Deng. 2018. Higher precipitation strengthens the microbial
- interactions in semi-arid grassland soils. Global Ecology and Biogeography 27:570–580.
- 1109 Watnick, P., and R. Kolter. 2000. Biofilm, City of Microbes. Journal of Bacteriology 182:2675–2679.
- 1110 Wei, Z., Y. Gu, V.-P. Friman, G. A. Kowalchuk, Y. Xu, Q. Shen, and A. Jousset. 2019. Initial soil
- 1111 microbiome composition and functioning predetermine future plant health. Science Advances
- 1112 5:eaaw0759.
- 1113 Wei, Z., T. Yang, V.-P. Friman, Y. Xu, Q. Shen, and A. Jousset. 2015. Trophic network architecture of
- 1114 root-associated bacterial communities determines pathogen invasion and plant health. Nature
- 1115 Communications 6:8413.
- 1116 Weiss, A. S., A. G. Burrichter, A. C. Durai Raj, A. von Strempel, C. Meng, K. Kleigrewe, P. C. Münch, L.
- 1117 Rössler, C. Huber, W. Eisenreich, L. M. Jochum, S. Göing, K. Jung, C. Lincetto, J. Hübner, G. Marinos,
- 1118 J. Zimmermann, C. Kaleta, A. Sanchez, and B. Stecher. 2022. In vitro interaction network of a
- 1119 synthetic gut bacterial community. The ISME Journal 16:1095–1109.
- 1120 West, S. A., A. S. Griffin, A. Gardner, and S. P. Diggle. 2006. Social evolution theory for
- 1121 microorganisms. Nature Reviews Microbiology 4:597–607.
- 1122 Winkler, K. C., A. W. J. van Doorn, and A. F. M. Royers. 1952. Symbiosis of tryptophan-deficient
- 1123 mutants of E. coli B. Recueil des Travaux Chimiques des Pays-Bas 71:5–14.
- 1124 Winogradsky, S. 1890. On the nitrifying organisms. Sciences 110:1013–1016.
- 1125 Wu, G., N. Zhao, C. Zhang, Y. Y. Lam, and L. Zhao. 2021. Guild-based analysis for understanding gut
- microbiome in human health and diseases. Genome Medicine 13:22.
- 1127 Wu, Y., P. Cai, X. Jing, X. Niu, D. Ji, N. M. Ashry, C. Gao, and Q. Huang. 2019. Soil biofilm formation
- enhances microbial community diversity and metabolic activity. Environment International
- 1129 132:105116.

- 1130 Xiang, Q., D. Zhu, M. Qiao, X.-R. Yang, G. Li, Q.-L. Chen, and Y.-G. Zhu. 2023. Temporal dynamics of
- soil bacterial network regulate soil resistomes. Environmental Microbiology 25:505–514.
- 1132 Xing, J., X. Jia, H. Wang, B. Ma, J. Falcão Salles, and J. Xu. 2021. The legacy of bacterial invasions on
- soil native communities. Environmental Microbiology 23:669–681.
- 1134 Xu, M., X. Li, T. W. Kuyper, M. Xu, X. Li, and J. Zhang. 2021. High microbial diversity stabilizes the
- 1135 responses of soil organic carbon decomposition to warming in the subsoil on the Tibetan Plateau.
- 1136 Global Change Biology 27:2061–2075.
- 1137 Xue, P., B. Minasny, and A. B. McBratney. 2022. Land-use affects soil microbial co-occurrence
- networks and their putative functions. Applied Soil Ecology 169:104184.
- 1139 Xun, W., Y. Liu, W. Li, Y. Ren, W. Xiong, Z. Xu, N. Zhang, Y. Miao, Q. Shen, and R. Zhang. 2021.
- 1140 Specialized metabolic functions of keystone taxa sustain soil microbiome stability. Microbiome
- 1141 9:35.
- 1142 Yachi, S., and M. Loreau. 1999. Biodiversity and ecosystem productivity in a fluctuating
- 1143 environment: The insurance hypothesis. Proceedings of the National Academy of Sciences
- 1144 96:1463–1468.
- 1145 Yang, D., H. Kato, K. Kawatsu, Y. Osada, T. Azuma, Y. Nagata, and M. Kondoh. 2022. Reconstruction
- of a Soil Microbial Network Induced by Stress Temperature. Microbiology Spectrum 10:e02748-22.
- 1147 Yang, J., J. W. Kloepper, and C.-M. Ryu. 2009. Rhizosphere bacteria help plants tolerate abiotic
- 1148 stress. Trends in Plant Science 14:1-4.
- 1149 Yang, J. W., W. Wu, C.-C. Chung, K.-P. Chiang, G.-C. Gong, and C. Hsieh. 2018. Predator and prey
- 1150 biodiversity relationship and its consequences on marine ecosystem functioning—interplay
- between nanoflagellates and bacterioplankton. The ISME Journal 12:1532–1542.
- 1152 Yang, T., Z. Wei, V.-P. Friman, Y. Xu, Q. Shen, G. A. Kowalchuk, and A. Jousset. 2017. Resource
- 1153 availability modulates biodiversity-invasion relationships by altering competitive interactions.
- 1154 Environmental Microbiology 19:2984–2991.
- 1155 Yeoh, H. T., H. R. Bungay, and N. R. Krieg. 1968. A microbial interaction involving combined
- 1156 mutualism and inhibition. Canadian Journal of Microbiology 14:491–492.
- 1157 Yuan, M. M., X. Guo, L. Wu, Y. Zhang, N. Xiao, D. Ning, Z. Shi, X. Zhou, L. Wu, Y. Yang, J. M. Tiedje, and
- 1158 J. Zhou. 2021. Climate warming enhances microbial network complexity and stability. Nature
- 1159 Climate Change 11:343–348.
- 1160 Zachar, I., and G. Boza. 2022. The Evolution of Microbial Facilitation: Sociogenesis, Symbiogenesis,
- and Transition in Individuality. Frontiers in Ecology and Evolution 10.
- 1162 Zélé, F., S. Magalhães, S. Kéfi, and A. B. Duncan. 2018. Ecology and evolution of facilitation among
- 1163 symbionts. Nature Communications 9:1–12.
- 1164 Zengler, K., and L. S. Zaramela. 2018. The social network of microorganisms how auxotrophies
- 1165 shape complex communities. Nature Reviews Microbiology 16:383–390.

- 1166 Zhang, B., J. Zhang, Y. Liu, P. Shi, and G. Wei. 2018. Co-occurrence patterns of soybean rhizosphere
- microbiome at a continental scale. Soil Biology and Biochemistry 118:178–186.
- 1168 Zhang, L., B. Wang, and L. Qi. 2017. Phylogenetic relatedness, ecological strategy, and stress
- determine interspecific interactions within a salt marsh community. Aquatic Sciences 79:587–595.
- 1170 Zhang, L.-M., M. Wang, J. I. Prosser, Y.-M. Zheng, and J.-Z. He. 2009. Altitude ammonia-oxidizing
- bacteria and archaea in soils of Mount Everest. FEMS Microbiology Ecology 70:208–217.
- 1172 Zhou, X., M. F. A. Leite, Z. Zhang, L. Tian, J. Chang, L. Ma, X. Li, J. A. van Veen, C. Tian, and E. E.
- 1173 Kuramae. 2021. Facilitation in the soil microbiome does not necessarily lead to niche expansion.
- 1174 Environmental Microbiome 16:4.
- 1175 Zuñiga, C., C.-T. Li, G. Yu, M. M. Al-Bassam, T. Li, L. Jiang, L. S. Zaramela, M. Guarnieri, M. J.
- 1176 Betenbaugh, and K. Zengler. 2019. Environmental stimuli drive a transition from cooperation to
- 1177 competition in synthetic phototrophic communities. Nature Microbiology 4:2184–2191.
- 1178